HE 203 . A56 no. 85-25

partment of ortation

San Antonio's 1983 Bus Passenger Survey

October 1983





16 A56 10.

San Antonio's 1983 Bus Passenger Survey

Final Report October 1983

Prepared by Sterling Systems, Inc. 1749 Old Meadow Road McLean, Virginia 22101



Prepared for VIA Metropolitan Transit 800 West Myrtle San Antonio, Texas 78212

Funded by Office of Planning Assistance Urban Mass Transportation Administration Washington, D.C. 20590

Distributed in Cooperation with Technology Sharing Program Office of the Secretary of Transportation

DOT-I-85-25

FOREWORD

Many transit operators routinely collect ridership data in order to provide a basis for the planning of bus services. Often a survey is conducted of bus riders to determine their riding habits, their views about the quality of current service, and their ideas about how service could be improved. For many transit operators, a bus rider survey is the only method that is used to collect detailed ridership data.

This report was prepared to document the ridership survey that was conducted for VIA Metropolitan Transit in San Antonio, Texas in 1983. The report contains a summary of the major findings of the survey and a summary of the technical approach that was used to design and conduct the survey. We believe that technical summary is well written, comprehensive, and valuable to all transit operators who are involved in ridership surveys. We encourage all transit operators to review this report.

This report was funded through the UMTA Section 8 Technical Studies Program. It is an excellent example of applied technical analysis at the local government level.

Brian E. McCollom

Office of Methods and Support

Urban Mass Transportation Administration

1124 - 3 111 32 2MM

400 Seventh Street, S.W. Washington, DC 20590

Area H. Alle, p.

Norman G. Paulhus, Jr. Office of Technology and Planning Assistance Office of the Secretary of Transportation 400 Seventh Street, S.W. Washington, DC 20590

TABLE OF CONTENTS

			Page
SECTION	1. INT	RODUCTION	1-1
1.1	Backgr	ound	1-1
1.2	Conten	ts of This Report	1-1
SECTION	2. SUMI	MARY OF MAJOR FINDINGS	2-1
2.1	Introd	uction	2-1
2.2	Total	Passenger Boardings	2-1
2.3	Total	Linked Passenger Trips	2-3
SECTION	3. TEC	HNICAL APPROACH	3-1
3.1	Introd	uction	3-1
3.2	Sample	Design	3-1
	3.2.1	Sample Precision	3-1
	3.2.2	Sample Size	3-2
3.3	Sample	Selection	3-9
3.4	Sample	Sufficiency Check	3-9
3.5	Questi	onnaire Design	3-10
3.6	Data C	ollection	3-12
	3.6.1	Organization	3-12
	3.6.2	Training	3-12
	3.6.3	Preparation of Assignments	3-14
	3.6.4	Distribution of Assignments	3-18
	3.6.5	Surveyor's Tasks	3-18
	3.6.6	On-Bus Procedures	3-21
	3.6.7	Nuality Control	3-25

TABLE OF CONTENTS (CONT'D)

				Page
		3.6.7.1	Ouality Control Team	3-26
		3.6.7.2	Review of Surveyor's Work	3-26
	3.6.8	VIA Driv	er Survey	3-26
	3.6.9		eriod	3-28
3.7		_	Conversion	3-28
	3.7.1		••••	3-30
		3.7.1.1		3-30
		3.7.1.2	Survey Responses	3-32
	3.7.2		version	3-33
3.8	Data P		••••	3-33
	3.8.1	_	ting	3-33
		3.8.1.1	Survey Responses	3-33
		3.8.1.2	Trip Logs	3-35
		3.8.1.3	Interrecord Comparisons	3-35
	3.8.2	Expansio	n of the Sample	3-35
		3.8.2.1	Merge Files	3-35
		3.8.2.2	Calculation of Factors	3-38
			3.8.2.2.1 Bus Trip Factor	3-38
			3.8.2.2.2 Response Factor	3-41
			3.8.2.2.3 Revenue Adjustment Factor	3-42
			3.8.2.2.4 Final Combined Factor	3-42
3.9	Verifi	cation of	Results	3-42
	3.9.1		cal Methodology	3-43
	3.9.2		curacy	3-45
	3.9.3		ccuracy	3-45
	3.9.4		on	3-49

APPENDIX A Boarding Passengers by Route, Time Period, and Fare Class
APPENDIX B Machine Readable File Formats

LIST OF EXHIBITS

			Page
Exhibit	2.2-1	Boarding by Fare Class & Time Period	2-2
Exhibit	2.3-1	Summary of Census Tracts With 1 Percent	
		or More of Trip Origins	2-4
Exhibit	3.2-1	Summary of Bus Trip Sample	3-4
Exhibit	3.2-2	Summary of Questionnaire Distribution	
		and Response	3-7
Exhibit	3.5-1	Survey Questionnaire	3-11
Exhibit	3.6.1-1	Organization of Field Operations	3-13
Exhibit	3.6.3-1	Surveyor's Assignment Log	3-15
Exhibit	3.6.3-2	Trip Envelop	3-16
Exhibit	3.6.3-3	Pencil and Return Boxes	3-17
Exhibit	3.6.4-1	Field Control Log	3-19
Exhibit	3.6.5-1	Surveyor's Trip Log	3-20
Exhibit	3.6.6-1	On-Bus Procedures	3-22
Exhibit	3.6.6-2	Location of Survey Equipment	3-24
Exhibit	3.6.7.2-1	Editor's Daily Report	3-27
Exhibit	3.6.8-1	Dispatcher's Recording Form	3-29
Exhibit	3.7.1-1	Station Coding System	3-31
Exhibit	3.8.1.1-1	Response Edit Checks	3-34
Exhibit	3.8.1.2-1	Trip Log Edit Checks	3-36
Exhibit	3.8.2-1	Data Processing Flow Chart	3-37
Exhibit	3.8.2.2-1	Sample Expansion Process	3-39
Exhibit	3.9.2-1	Summary Statistics for Route Precision	3-46
Exhibit	3.9.3-1	Precision of Passenger Attributes - System	3-48

The preparation of this report was financed in part through a planning grant to the San Antonio Metropolitan Planning Organization from the United States Department of Transportation, Urban Mass Transportation Administration under the Act of 1964, as amended.

SECTION 1

INTRODUCTION

1.1 BACKGROUND

VIA Metropolitan Transit of San Antonio identified in mid 1982 a need to collect ridership data for its bus transit system in order to provide a basis for long and short range planning services. A survey of bus riders was identified as the best option to obtain the needed data and Sterling Systems Incorporated was selected to conduct the work.

The survey, conducted in late February and March 1983, was designed to collect data on:

- Passenger counts
- Origins and destinations
- Trip characteristics, and
- Person characteristics.

The data were coded and tabulated after collection, and were made suitable for analyses by VIA staff.

1.2 CONTENTS OF THIS REPORT

This paper constitutes a final report for the project. Section 2 contains a summary of major findings and Section 3 a report on the study design and conduct (technical approach).



SECTION 2

SUMMARY OF MAJOR FINDINGS

2.1 INTRODUCTION

The following contains an overview of the major findings of the survey.

2.2 TOTAL PASSENGER BOARDINGS

On an average survey day nearly 108,000 persons rode VIA busses. This total agrees closely with the VIA counts for the time period surveyed. The survey data were expanded to a total revenue of nearly \$23,300, which was the average daily revenue for five survey days as counted by VIA.

Passenger boardings by route, time period and fare class are shown in Appendix A. Exhibit 2.2-1 presents total boardings by fare class and time period. About 31 percent of the passengers ride in the AM peak, about 33 percent in the midday off peak, about 28 percent in the evening peak and about 8 percent in the evening off peak.

With respect to fare class, about 8 percent used a Big Pass, 38 percent paid adult fares, 4 percent were elderly, about 2 percent handicapped, about 23 percent paid student fares, less than 1 percent were children or rode free, and nearly 23 percent used transfers. 1

It is important to note that there were 3738 patrons that needed to make two or more transfers to complete their trips. An origin-destination table has been provided to VIA which enables staff to evaluate the service to the areas where two or more transfers were required.

Percent by fare class was estimated excluding persons with unknown fare class, i.e., based on 104,343 boarding passengers.

EXHIBIT 2.2-1
1983 VIA BUS PASSENGER SURVEY

BOARDINGS BY FARE CLASS & TIME PERIOD

FARE CLASS	AM PEAK 5:00A-8:59A	MIDDAY 9:00A-2:59P	PM PEAK 3:00P-5: 5 9P	EVENING 6:00P-4:59A	TOTAL
BIG PASS	3278	1866	2924	573	8542
ADULT	10823	13792	11702	3887	40205
ELDERLY	796	2865	921	95	4677
HANDICAPPED	676	925	315	70	1986
STUDENT	9236	6988	6532	1446	24202
CHILD	137	54	233	6	429
FREE	150	89	54	63	356
TRANSFER	7752	7383	6484	2326	23945
UNKNOWN	860	1268	1007	433	3567
ALL CLASSES	33607	35232	30171	8900	107910

NOTE: TABLE MAY NOT TOTAL DUE TO ROUNDING

2.3 TOTAL LINKED PASSENGER TRIPS

The survey as conducted, counted boardings per surveyed bus and the responses were factored to total boardings by bus. Thus, a person who transferred from one bus to another was counted as two boardings while, in fact, only making one trip.

To obtain a count of passenger trips, boarding passengers who transferred to a survey bus were bypassed in processing.

The result was that there were 83,964 linked passenger trips made on an average weekday.

Not surprisingly, nearly 19% of these trips began in downtown San Antonio (tract 1101). In fact, of the 168 census tracts which had trip origins, nearly 50 percent of origins were concentrated in 20 census tracts which for the most part were close to downtown, and all were inside Loop 410. Exhibit 2.3-1 presents the tracts which had 1 percent or more of the total trip origins.

EXHIBIT 2.3-1
SUMMARY OF CENSUS TRACTS
WITH 1 PERCENT OR MORE OF TRIP ORIGINS

CENSUS	PASSENGER	PERCENT OF
TRACT	TRIPS	TOTAL
-		
1101	15,917	18.96
1108	1,828	2.16
1202	1,065	1.27
1214	912	1.09
1304	1,118	1.33
1305	1,582	1.88
1306	1,207	1.44
1605	1,288	1.53
1701	1,052	1.25
1702	1,400	1.67
1703	1,599	1.90
1704	1,192	1.42
1709	858	1.02
1713	987	1.18
1802	1,419	1.69
1805	945	1.13
1902	1,089	1.30
1905	966	1.15
1906	1,053	1.25
1909	1,527	1.82
	39,004	46.44

SECTION 3

TECHNICAL APPROACH

3.1 INTRODUCTION

This section presents the technical approach to the requirements of the project. The procedures were agreed upon by VIA staff and the consultant, and implemented as described in the implementation plan.

The primary approach was that of a sample survey conducted on all of VIA's revenue routes, and that on-board surveyors were utilized to distribute questionnaires and take passenger counts by fare zone and fare class. 1 The data were then expanded by route, time of day, direction and fare class, and adjusted to represent average daily revenues by line.

3.2. SAMPLE DESIGN

3.2.1 Sample Precision

The agreed upon level of precision by route was \pm 8% at the 95 percent confidence level, absolute error. This meant that the estimate of any proportion would be \pm 8 percent of the total ridership for the route to which the statistic applies. For example, if the survey estimate of the proportion of passengers whose mode of access to the route was auto passenger was 48%, the actual percentage at the 95% confidence level would be 40%-56%.

By being accurate to \pm 8% at the route level it was estimated that the precision of system wide charactertistics would be \pm 1%, absolute error.

¹ Twenty less utilized routes were surveyed by VIA bus drivers.

For proportions at less than route level the precision will be lower. The estimated absolute error of a proportion can be calculated by counting the number of samples that contributed to the estimate of the proportion, and using the formula shown in Section 3.2.2.

3.2.2 Sample Size

To estimate sample size we assumed a binomial distribution for the worst case (a variable with a mean proportion of .5) and a simple random sample. We then estimated the sample size (n) required for each route would be:

$$\frac{p(1-p)(Z)^2}{(X-M)^2} = \frac{.5(.5)(1.96)^2}{(.08)^2} = 150 \text{ responses}$$

where p = the proportion of respondents answering affirmatively to a question, and:

X = Sample Mean

M = Population Mean

Z = Relevant Z Score (1.96 for 95% Confidence Level)

To actually get 150 responses by route it was necessary to survey passengers on sampled bus trips. The precise number of bus trips which had to be ridden was not known, because the number of responses depended on the response rate on each bus. The response rates varied by route and bus, thus the estimate of the number of busses to ride was based on an estimated response rate of 33% which, from past surveys and conversations with VIA staff, was thought to be a conservative estimate.

Using a response rate of 33%, meant that questionnaires had to be handed out to 450 patrons on each route.

To determine the bus trip sample by route we used the following formula:

$$N = \frac{d}{r/b}$$

Where

d = the number of questionnaires to be distributed

r = the estimated ridership for the route to be sampled

b = the number of scheduled bus trips on an average weekday

For example if a route had 5,200 boardings per day spread over 260 bus trips, the sample size N was:

We drew a sample using this method, and the initial number of trips selected per route is shown in Exhibit 3.2-1.

The total estimated sample using this methodology was 1536 trips. However, to reduce the possibility of collecting unneeded data, we divided the sample into two parts: The first represented 67% of the estimated required sample, and the second 33 percent. The idea was that if the first two-thirds sample was sufficient for any route the additional one-third sample would not be used.

This did not happen however. Excluding a few exceptions in both directions, the reverse occurred. Due to low <u>useable</u> response rates, supplemental samples had to be drawn to try to increase the number of responses. Thus, we ended up taking 1743 trips for the survey. This was an increase of 13.5%, of the overall sample size (see Exhibit 3.2-1).

EXHIBIT 3.2-1 SUMMARY OF BUS TRIP SAMPLE BY ROUTE

1 20 3 23 2 15 3 18 4 12 5 17 5 22 -4 18 8 24 10 34 9 23 10 33 10 41 0 41 11 13 9 22 12 18 0 18 14 17 0 17 15 15 7 22 17 27 -7 20 21 16 0 16 22 18 3 21 24 18 16 3 25 16 25 41 26 14 5 19 28 20 16 36 30 16 3 19 33 29 0 29 42 17 4 24 44 15 10 25 48 32 <t< th=""><th>ROUTE</th><th>INITIAL SAMPLE</th><th>SUPPLEMENTAL SAMPLE</th><th>FINAL SAMPLE</th></t<>	ROUTE	INITIAL SAMPLE	SUPPLEMENTAL SAMPLE	FINAL SAMPLE
505 26 3	1 2 4 5 8 9 10 11 12 14 15 17 21 22 24 25 26 28 30 32 34 36 38 42 44 46 48 51 52 54 68 74 77 79 82 84 86 87 89 99 99 99 99 99 99 99 99 99 99 99 99	20 15 12 22 24 23 41 13 18 17 15 27 16 18 18 16 14 20 16 13 13 16 29 17 15 23 32 15 12 26 16 22 12 7 10 17 15 12 21 17 15 22 17 10 17 15 21 17 15 22 17 10 17 17 15 21 17 17 17 17 17 17 17 17 17 17 17 17 17	10 10 0 9 0 0 7 - 7 0 3 16 25 5 16 0 2 2 4 10 - 4 0 6 10 7 1 - 3 14 35 7 18 12 10 - 1 - 1 0 - 3 3 11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	18 17 18 34 33 41 22 18 17 22 20 16 21 34 41 19 36 16 15 37 19 29 21 25 19 32 21 22 33 17 19 26 42 17 35 27 27 20 18 19 21 21 21 21 21 21 21 21 21 21 21 21 21

EXHIBIT 3.2-1 SUMMARY OF BUS TRIP SAMPLE BY ROUTE (CONTINUED)

ROUTE	INITIAL SAMPLE	SUPPLEMENTAL SAMPLE	FINAL SAMPLE
508 509 512 515 516 520 524 530 550 551 600 601 602 604 608 609 610 611 612 613 614 615 616 617 630 632 640 648	24 13 18 27 30 10 19 27 14 13 52 25 14 19 37 21 20 21 20 21 20 21 20 18 20 20 9 12 17 45	0 0 0 - 5 - 9 - 5 - 4 - 2 - 6 - 5 - 4 - 14 - 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	24 13 13 18 25 14 17 21 9 9 38 20 14 19 37 21 20 21 16 21 17 18 20 20 9 9
TOTAL	1,536	207	1,743

On some routes not all the samples were completed satisfactorily, hence the negative values in the exhibit. Generally this was caused by a rejection of trips during the editing process after the field work was complete. In a few cases, the 17 for example, the final 1/3 of the sample was not taken because the response was so high. And, in a few cases, most notably the 600 and 601, the final 1/3 sample was not pursued because the potential impact on the sample rate was so low as to be uneffective; i.e., all trips could have been surveyed with little positive impact on the results.

The actual supplemental rates varied by route, and it is important to note that:

- Where it was obvious an increased sample size would have no more than a marginal effect (500 and 600 routes in particular) we did not make extensive efforts to increase the sample size.
- Nothing could be done to increase the number of responses on routes that had insufficient boardings or had 100% samples.

As can be seen in Exhibit 3.2-2 we substantially exceeded the 450 required pass out on many routes, but some routes still fell short of 150 responses. However, this does not mean accuracy suffered. The formula used to calculate the sample rate as mentioned earlier was for a pure random sample. In an attempt to improve the accuracy the sample was selected as systematic, stratified random sample which may improve accuracy. Thus, a route which has 100 responses (which on a random basis would yield slightly better than ±10% accuracy) may yield an improved accuracy.

While this improved precision could not be estimated in advance, the variance of estimated proportions can be once the data have been collected and expanded. The variance was calculated for selected variables, and is described later in this section.

EXHIBIT 3.2-2 SUMMARY OF QUESTIONNAIRE DISTRIBUTION AND RESPONSE

ROUTE	# QUESTIONNAIRE DISTRIBUTED	# USEABLE QUESTIONNAIRES	PERCENT RESPONSE
1 2 4 5 8 9 10 11 12 14 15 17 21 22 24 25 26 28 30 32 34 36 38 42 44 46 48 51 52 54 62 64 68 74 77 77 79 82 84 86 87 89 99 92 93 96 97	462 589 630 459 587 531 105 555 119 486 709 231 264 452 799 876 622 724 398 381 867 502 141 458 632 408 191 509 598 412 411 320 686 861 660 652 579 573 420 536 30 410 440 814 236 438 411	119 160 147 135 105 138 53 144 50 175 173 115 102 137 131 215 130 152 105 102 139 147 96 65 187 115 94 97 129 113 89 175 141 159 143 154 127 127 150 199 15 84 133 246 157 129 121	RESPONSE 25.8 27.2 23.3 29.4 17.9 26.0 50.5 25.9 42.0 36.0 24.4 49.8 38.6 30.3 16.4 24.5 20.9 21.0 26.4 26.8 16.0 29.3 68.1 14.2 29.6 28.2 49.2 19.1 21.6 27.4 21.7 54.7 20.6 18.5 21.7 23.6 21.9 22.2 35.7 37.1 50.0 20.5 30.2 66.5 29.5 29.4
503 504 505	36 100 446	10 30 201 3-7	27.8 30.0 45.1

EXHIBIT 3.2-2 SUMMARY OF QUESTIONNAIRE DISTRIBUTION AND RESPONSE (CONTINUED)

ROUTE	# QUESTIONNAIRE DISTRIBUTED	# USEABLE QUESTIONNAIRES	PERCENT RESPONSE
508 509 512 515 516 520 524 530 551 600 601 602 604 608 609 610 611 612 613 614 615 616 617 630 632 640 648	270 91 306 325 317 506 306 246 305 265 217 262 64 249 105 45 54 122 155 141 297 37 161 90 37 36 65 310	90 38 100 129 39 120 102 73 157 107 38 23 15 74 43 34 31 58 86 62 124 18 82 60 25 20 33 103	33.3 41.8 32.7 39.7 12.3 23.7 33.3 29.7 51.5 40.4 17.5 8.8 23.4 29.7 41.0 75.6 57.4 47.5 55.5 44.0 41.8 48.6 50.9 66.7 67.6 55.6 50.8 33.2
TOTAL	29,140	8,244	28.3

3.3 SAMPLE SELECTION

Sample selection was done manually, using the published schedules and the run sheets as provided by VIA. The process used was as follows:

- 1. The base sample size as discussed in Section 3.2 was determined.
- 2. All bus trips were numbered from 1 upward.
- 3. A random "seed" number; i.e., starting point, was selected.
- 4. The total number of busses was divided by the required number of samples; i.e., the sample interval (I) was determined.
- 5. The bus trip with the seed number was selected.
- 6. Every Ith bus thereafter was selected until the required number of bus trips was selected.

For example, if 25 bus trips were required on a route with 250 bus trips and a seed number of 36 was generated, then the 36th trip would be selected first and every 10th trip selected thereafter.

The trips were selected in pairs where there was no interlining and in clusters of four for routes which interlined between two or more routes. For example, on the 1-11 interline combination route a trip on the 1 route was selected, say inbound, and then an out and inbound pair on the 11 was selected and then an outbound trip on the 1 was selected.

3.4 SAMPLE SUFFICIENCY CHECK

Following the initial sample selection a check was made of the sample sufficiency. This was necessitated by the fact that a minimum of two samples was required for each stratification unit before the expansion of the survey results could take place.

Once the sample was drawn, the trips in each route were assigned a stratum based on the above criteria and counted. The sample was then reviewed for adequacy on a stratum by stratum basis. Where necessary, additional samples were selected randomly using the same procedure as discussed above.

3.5 QUESTIONNAIRE DESIGN

A questionnaire (English and Spanish versions) was designed by VIA and Sterling staff (see Exhibit 3.5-1).

The questionnaire was printed on center folding stock, with the English version on one side and the Spanish on the other. With the exception of geographic data, all questions were self coding. The questionnaire contained a business reply stamp for those patrons who wished to return the questionnaire by mail.

Before field work began a pretest of the questionnaire was made on 4 routes to make certain patrons understood and could respond to the questions.

Questionnaires were serially numbered for control purposes and wrapped in groups of 200 with the beginning serial number of each deck clearly marked on the outside of the package.

It is important to note that the questionnaire was not the only source of information for the survey. On-board enumerators collected data on:

- 1. Boardings by fare zone;
- 2. Boardings by fare class;
- 3. Boardings by time period; and,
- 4. Boardings by direction of travel.

EXHIBIT 3.5-1

SURVEY QUESTIONNAIRE

CUESTIONARIO PARA PASAJEROS DE AUTOBUS 1983 Necestanos incrementos, secto de sete use de set lo vivello como El hace ha como menor

KA	ENGLISH Nº 23326
We need to know about THIS SURVEY and plac free) Your answer will	1983 BUS PASSENGER SURVEY We need to know about the one way ting to are making so we can serve you befler. PLEASE COMPLETE THIS SHAPEY and place at in one of the specially marked boxes on this bus or drop it in the mail (postage tree). Your answer will be kept strictly confidential. THANK YOU
3 Elderly C. The total amount of t	1 Licroenty by Licroid 3. The lotal amount of the FARE (cash or tickel) you put in the lare box on this bus was \$
D. WHERE did you come FROM before 1 U. Home 2 U. Work 6 U. School E. What is the ADDRESS of that place?	WHERE did you come FROM before you began this tinp' (Check ONLY the main ONE) 1. Home 4. Shopping 1 To Other (specify 2 To Other (specify 3 L) Social Receivable Business 5. Detection 6. Social Receivable 6. Social Receivable 1 To Other (specify 2 To Other (specify 3 L) Social Receivable 1 To Other (specify 3 L) Social Recei
Sireet Number and Name or Intersect	Sirect Number and Name or linessection or Building Cry Zp Code Where did you get ON this Bus?
untersection G. How FAR did you havel to the BUS 1 Liless than 2 Blocks 3 2 Li 3-4 Blocks 4	ocks 4 [] Over 1 Mile
H WHERE are you GOING to on this to 1 1 Home 2 Work 5 2 Work 3 School 1. What is the ADDRESS of that place?	WHERE are you GOING to on this trip? (Check ONLY the main ONE) 1 Home 4 Shopping 7 Other (specify
Sirest Number and Name or Intersector	Street Number and Name or Intersection or Building City Zp. Code Where will you get OFF this bus?
Intersection K Will you TRANSFER to another bus?	A to another bus? 1 🗌 Yas 2 📋 No II yes, TO what route?
When 2	
M. How many CARS, 1	a car, fruck or van AVAILABLE to you loddy to make THIS TRIP? 1 [] Yes 2 [] No many CARS, TRUCKS or VANS are kept at your home? (If none enter 0)
O. Including yourself, HOW MANY	PEOPLE Ine in your household?
P. What is your AGE? 1 Under 16 years 2 U 16:24	1s 3 25-34 5 45-64 4 35-44 6 65 years or older
O What is your SEX?	2 U Mate
R How many years of SCHOOI 1 Less than high school 2 L. High school graduate	How many years of SCHOOL have you completed? 1. Lets stand helpt school 3. Some college 5. More than college 2. Lets stand helpt school and college graduate.
S Are you? 1 L. Hispanic 2 L. Black	3 U White 4 () Other
	DO NOT WRITE IN THIS SPACE

3.6 DATA COLLECTION

3.6.1 Organization

Exhibit 3.6.1-1 presents the organization used for the field operations. The field operations manager was responsible for all field preparation and data collection tasks.

A quality control team reported directly to the field operations manager, and was responsible for verifying surveyor performance.

There was a logging and records control supervisor who was responsible for schedule preparation, distribution, and the return of all work assignments. This supervisor was responsible for controlling all data and equipment until they were returned from the field.

3.6.2 Training

All field personnel were required to attend a half day, in-office training session. A detailed training manual was distributed and all procedures discussed fully. After the in-office session, surveyors were required to survey two bus trips without a major error before being allowed to work on the survey.

Because supervisory and in-office personnel constituted <u>support</u> staff, they were required to go through the field training so that they would be fully aware of field procedures. We believe this was important because on-bus surveying is difficult, and it is important for office staff to understand what surveyors face when conducting their work.




Exhibit 3.6.1-1

3.6.3 Preparation of Assignments

Surveyor kits were prepared in advance of the survey day. Kits included:

- Assignment Sheet. All work for a surveyor for one day was presented on the Surveyor's Assignment Log (see Exhibit 3.6.3-1). This included:
 - 1. Assignment number
 - 2. Surveyor's name
 - 3. Report location, date, and time; and
 - 4. Specific instructions for each trip to be surveyed.
- <u>Trip Logs</u>. One trip log for each assigned survey trip was included in the surveyor's kit. It was precoded with the same information as the surveyor's assignment sheet.
- Envelopes One envelope for each surveyed trip was also included. The envelopes were precoded with pertinent control data (see Exhibit 3.6.3-2) and were used to store the control logs and questionnaires associated with each surveyed trip.
- Pencils. Two boxes of pencils were provided for patron use. The provision of pencils enhanced survey response. (see Exhibit 3.6.3-3)
- <u>Return Boxes</u>. Two return boxes were placed on each survey bus to encourage prompt passenger response. (see Exhibit 3.6.3-3)


3-15

EXHIBIT 3.6.3-1

TRIP ENVELOP

ASSIGNMENT NO.	BLOCK NO
TRIP NO.	ROUTE NO.
SURVEYOR	SURVEYOR NO.
DAY OF WEEK	
DATE	
(MONTH (

EDITING-CODING LOG											
STATION	DATE	INITIALS	STATION	INITIALS	DATE						
А			E								
В			F								
С			G								
D			н								



SURVEY FORMS COLLECTION BOX

EXHIBIT 3.6.3-3

- Questionnaires. A 1-day supply of questionnaires was included with each assignment.
- Clip Board. An oversized clip board (22" x 15") to hold the surveyor's control log was issued to each surveyor.
- "Today is Survey Day". A "Today Is Survey Day" sign in English and Spanish was included for placement on the fare box. This was used to alert patrons to the fact a survey was being conducted.

3.6.4 Distribution of Assignments

Surveyors reported directly to survey headquarters to pick up all assignments.

All surveyors were required to return and sign in the prior day's assignment before any new work was issued. All assignments were logged on the master control log as shown in Exhibit 3.6.4-1.

3.6.5 Surveyor's Tasks

A surveyor was assigned to ride each sampled bus trip, and perform the following tasks:

- <u>Distribute Survey Questionnaires</u>. The surveyors issued a survey questionnaire to every boarding patron 5 years of age or older, regardless of fare class or transfer status.
- Tally Boarding Passengers by Fare Class and Fare Zone. The surveyor counted patrons as they boarded by fare class or transfer status for each fare zone in which the bus operated on the sampled trip. Consequently, the surveyor had to be aware of the fare zones in which the bus operated. A trip log (see Exhibit 3.6.5-1) was designed to clearly delineate

VIA 1983 BUS PASSENGER SURVEY FIELD CONTROL LOG

TO RESCHEDULE										
TO CODING										
ACCEPT/REJECT										
DATE	RETURNED							·		
	ISSUED									
S.A. J.	DECK 2									
SERIAL #'S	DECK 1									
	TIME									
	ROUTE									
	BLOCK									
	SURVEYOR									
TRIP	NUMBER									
OLD	NUMBER									
ASSIGNMENT										

EXHBIT 3.6.4-1

Surveyor's Trip Log

1983 Bus Passenger Survey										
Block Number		Assignment Number								
Route Number	-	Surveyor								
Departure Time										
Date of Trip			Log Prepared By							
Day of Trip										
		Log Checked By								
		11								
Begin Serial Number		Bus Numb	per		nber					
End Serial Number 1st Deck 2nd Deck		То								
Fare Serial Number Time	Adult Fare	Child	Transfer	Big Pass	Eld-Hand	School	Free			
Zone										
A.F. C.F. T.R. B.P. E./H. S. 1 P P										
Zone Begins at										
A.F. C.F. T.R. B.P. E./H. S. P P										
Zone begins at										
Zone Serial Number Time										
R.F. T.B. T.R. T.R.O. F.P. E./H. P P										
Surveyor's Not	es									

EXHIBIT 3.6.5-1

End Serial Number

End Time

fare zone boundaries. This was done to help the surveyor if the driver was uncertain of an exact fare zone break. In the VIA system fare boundary identification was not a problem.

As a control on these counts, survey questionnaires were serially numbered and handed out in sequence. The serial number of the next available questionnaire was recorded at each fare zone boundary to indicate the end of one fare zone and the beginning of the next. By subtraction, these records provided a check on a given surveyor's total passenger count.

- Encourage Passenger Response. Surveyors were instructed to encourage patrons to respond to the survey. They were instructed to courteously point out that pencils were available for patron use and that there were return boxes on the bus for completed survey cards.
- Collection of Survey Returns. Surveyors were responsible for picking up completed questionnaires at the end of each trip. The greater the number of surveys returned on the bus, the easier it was for editors to evaluate the quality of field work being accomplished.

3.6.6 On-Bus Procedures

Exhibit 3.6.6-1 presents a graphic view of the on-bus procedures used by the surveyors on a typical survey day.

The first step was to locate the first bus to be surveyed for the day and board it. Schedules were prepared to allow surveyors ample time to find their assigned bus. Upon boarding the bus, the surveyors verified with the driver that the boarded bus was indeed the bus to be surveyed; i.e., they checked block, route and time.




EXHIBIT 3.6.6-1

After boarding the bus, the surveyor installed all the necessary equipment at the locations shown in Exhibit 3.6.6-2. This included installing the "Today Is Survey Day" sign, point E; the pencil boxes, point C; the return boxes, point B; and the kit and unused material, in back of the driver, point D.

The surveyors were instructed to take the seat behind the driver so they would have a clear view of the boarding patrons. The surveyor then prepared for the trip by checking the control log to make certain that any changes in the block, route, and time data were properly recorded.

At this point the bus proceeded to the first stop.

At the first, and ensuing stops, passengers boarded and alighted the bus. The surveyors began their survey work at this point.

As passengers boarded the bus, the surveyor distributed one questionnaire to each. If a passenger refused a questionnaire, the surveyor set it aside and it was not used. This maintained the integrity of the count of passengers based on serial numbers.

As passengers alighted the bus, the surveyors encouraged them to deposit their questionnaires in the return boxes. When passengers wished to return the questionnaires to the surveyor, the surveyor accepted them and put them in the envelope for the surveyed trip.

After all passengers had boarded and alighted, the bus trip resumed.

On departure from each stop, the surveyor determined if the next stop was located at a fare zone boundary. This was done by checking the log to determine the location of the fare zone boundary and asking the driver if the boundary was located at the next stop.

If the fare zone boundary was located at the next stop, the interviewer recorded the serial number of the next available questionnaire in the




EXHIBIT 3.6.6-2

space provided on the trip log opposite the fare zone. The fare zone location and the fare zone number were precoded during the assignment/distribution phase. The surveyor also recorded the time the bus reached the fare zone boundary. This was used later to determine whether the bus was in peak or off-peak status when it entered the fare zone.

The surveyor asked the driver to notify him when the last stop of the bus trip had been reached. The survey continued until that time.

At the last stop the surveyor:

- Recorded the serial number of the next available questionnaire in the survey deck;
- Recorded the time the trip ended;
- Picked up all returned questionnaires from the return boxes if he was going to remain on the bus; or
- Picked up all returned questionnaires and all equipment if his next assignment was on another bus.

Logs and used and unused questionnaires for a specific bus trip were always placed in a separate envelope provided for that trip so editors reviewing the trip would not have to work with data which was collected over several trips.

The surveyor either prepared for his next trip on the same bus, or went to the next assigned bus and conducted another survey.

3.6.7 Quality Control

Two factors are crucial to the conduct of a high-quality survey. First, surveyors must ride their assigned busses, and second they must be counting passengers and distributing questionnaires properly.

Two quality control measures were implemented to ensure the validity of survey field work.

3.6.7.1 Quality Control Team

A team of quality control supervisors was trained to monitor the surveyors' work. These supervisors were assigned surveyors' work to check every day throughout the survey. They were required to ride with each assigned surveyor, review his or her work, and provide assistance and corrective advice. This ensured that surveyors were on their assigned busses and following the correct procedures.

Each quality control supervisor was responsible for the work of the assigned surveyors. To facilitate this, supervisors were provided with daily reports on the performance of each surveyor for whom they were responsible.

3.6.7.2 Review of Surveyor's Work

A team of editors was trained to review surveyors' work. The editors were of supervisory caliber and fully trained in field operations. Within 24 hours of receipt from the field, this team edited all survey work and prepared a daily review of each surveyor's work (see Exhibit 3.6.7.2-1). The editor's work was closely coordinated with that of the quality control team. A more detailed description of the editor's tasks are discussed in Section 3.7 below.

3.6.8 VIA Driver Survey

In an effort to cut down on field costs for lightly patronized routes, VIA agreed to have drivers pass out questionnaires on some routes. In

VIA 1983 Bus Survey Editor's Daily Report

RVEYOR				ASSIGNMENT DATE
SIGNMENT N	NUMBER			EDIT DATE
NUMBER (OF TRIPS AS	SSIGNED _		
NUMBER	OF TRIPS C	OMPLETED .		
NUMBER	OF TRIPS E	DITED .		
NUMBER	OF TRIPS A	CCEPTED _		
TRIPS NO	T ACCEPTE	D:		
AULINADED	51.001/	DOUZE	21112	DEAGON FOR DE JECTION
NUMBER	BLOCK	ROUTE	TIME	REASON FOR REJECTION
1				
2				
3				
4				
5	· · · · · · · · · · · · · · · · · · ·			
6				
7				
8				
9				
10				

OTHER COMMENTS ON SURVEYOR'S PERFORMANCE

all there were 20 routes where this occurred. They were:

10	503	602	613	632
12	504	608	615	640
21	509	609	616	
38		610	617	
87	4	611	630	

For these routes the driver was assigned packets of cards which were passed out in order to boarding passengers. The total boarding count was determined based on the number cards issued. The driver called in the serial number of the next available card in his packet each time he was required to call into the dispatcher's office (when the bus was at a terminal point.)

The serial numbers were recorded by the dispatcher (see Exhibit 3.6.8-1) and turned over to survey staff for processing.

The nature of the serial number recording procedure was such that these trips were for the most part round trips and they were factored separately as discussed later in this report.

3.6.9 Survey Period

The survey was conducted Monday through Friday from February 28, 1983 to March 25, 1983, except for the week of March 21-22 (Spring Break).

3.7 DATA CODING AND CONVERSION

This step entailed the coding of trip logs and survey responses and their conversion to a computer-readable format.

EXHIBIT 3.6.8-1

DISPATCHER'S RECORDING FORM

Form 4016

VIA METROPOLITAN TRANSIT SUPERVISOR'S SERVICE REPORT

DA	YLUC	4. K= 7 12		DATE	.5-1	6		19 <u>83</u> BY				ST.	CON	1D		~~~~ <i>\</i>	
LIN	E	601			PLAC	E H	OFF	en - Con	nmerc	e_w	EATHER						
		IC 1MI									BOUNE				M./P.	м.	
		1	IME		PA	SSENG	ERS	SETIAL	1			TIME		PA	SSENG	ERS	
BUS	BLK.	Hoe - Or m	AR	LY	ſ	LY	OFF	Number	BUS	BLK.	DUE	AR	LY	AR	L٧	OFF	
	1															ĺ	
	1	242						29050									
	1	301						27054									
	1	320						27055									
		340						29015									
	1	400						29016									
		420						19057									
		1-170						47 03 /									
	1	440						24054									
	1	500						29062									
		528						29066		!			14	ETROP	VIA OLITA ECER	H TRAN	आ
		540						24000	-	İ				Min	10	1983	
												1		PLANI	SING	DEPT.	
	1	557						29566								-	/
															1	i	1

3.7.1 Coding

Data were coded using a station coding system (see Exhibit 3.7.1-1). A station system is one where similar tasks are accomplished by one group of coders.

3.7.1.1 <u>Edit Logs</u>

The activities that took place at the four stations in the log coding process are outlined below.

- <u>Station A</u>. The first step in the log coding process was to verify that the information on the log was accurate and sufficient for factoring purposes. To be acceptable for factoring, each log had to contain:
 - Complete tallies of boarding passengers by fare zone and fare class;
 - Correct definition of fare zone boundaries as indicated by the recorded serial numbers;
 - Data for the assigned trips (substitute trips were not allowed); and
 - Accurate control data (i.e., block, route, and time of departure).
- Station B. Once the logs were certified as acceptable according to the criteria in Station A, an editor coded the passenger count data in the spaces provided. Items coded included:
 - Number of transfers by fare zone; and
 - Boardings by fare class and fare zone.




EXHIBIT 3.7.1-1 3-31

- Station C. A 100 percent check of the work completed at Station B was made at Station C, to ensure the accuracy of the count data.
- Station D. At Station D, completed logs were packaged, and logged for keypunching.

3.7.1.2 Survey Responses

The questionnaire, with the exception of stops on and off, and origins and destinations was self coding. For the stop off-on coding VIA prepared a stop index (by route) which provided a unique number for each bus stop in the system. With the exception of the downtown area, the index was organized by routes so the coder could look up a particular street and find all the intersecting streets on any given route.

For origins and destinations, census tracts outside of the CBD and census tracts and blocks inside the CBD were used. The guide prepared by Trinity College and maps prepared by VIA staff were used, and VIA prepared a block guide in a similar format for the CBD block system.

The coding process for the responses was as follows:

- Station A. Code stop on and off.
- Station B. At Station B, a sample (12.5%) of all coders' work was checked to ensure that no systematic coding errors were being made and no coder's error rate was unacceptably high (over 2.5%). Coders whose work was unacceptable were retrained or dismissed.
- Station C. Code origins and destinations.

o Station D. At Station D, a sample (12.5%) of all coders' work were checked to ensure that no systematic coding errors were being made and no coder's error rate was unacceptably high (over 2.5%). Coders whose work was unacceptable were retrained or dismissed.

The coding of responses turned out to be a much larger task than anticipated. It was most everyone's contention prior to the survey start-up that quantity of response would probably not be a problem for the survey. However, this turned out not to be the case. As it became evident that response was lower than anticipated, an increased effort was made to qualify difficult-to-code responses. This type of response can take up to 10-15 minutes to code, which is an inordinate length of time.

3.7.2 Data Conversion

All logs and survey responses were converted to a machine-readable format so that computer processing could be accomplished. A complete verification of keyed data was made as a quality control measure for the conversion process.

The data were actually keyed using a Nixdorf minicomputer owned by Sterling.

3.8 DATA PROCESSING

3.8.1 <u>Data Editing</u>

3.8.1.1 Survey Responses

The survey responses were edited to check for illegal codes and illegal or unreasonable combinations of codes. For example, if the allowable range of codes for a question was 1 through 5, and an 8 was entered, the response would be rejected and sent to the coding staff for correction. The final set of edit checks are shown in Exhibit 3.8.1.1-1.

EXHIBIT 3.8.1.1-1

CURVEY RESPONSE EDIT CRITERIA

SUMMARY OF RECORD FIE'DS AND EDIT CHECKS

All fields are checked for valid numeric value and range or table checked for valid field defirition.

FIELD NAME	COLUMNS	CHECK
SERIAL NUMBER ORIGIN TRANSFER FROM ROUTE FARE CLASS PURPOSE AT ORIGIN DISTANCE TO ORIGIN STOP PURPOSE AT DESTINATION DESTINATION TRANSFER TO ROUTE MODE AT DESTINATION AUTOS AVAILABLE TOTAL AUTOS AT HOME TOTAL PERSONS IN HOUSEHOLD PASSENGER'S AGE PASSENGER'S SEX EDUCATION RACE ORIGIN TRACT ORIGIN BLOCK DESTINATION TRACT DESTINATION BLOCK "STOP ON" CODE "STOP OFF" CODE FARE (IN CENTS)	COLUMNS 1-5 6 7-9 10 11 12 13 14 15-17 18 19 20 21 22 23 24 25 26-31 32-34 35-40 41-43 44-47 48-51 52-54	RANGE 10001-55000 RANGE 1, 2 OR 9 999 OR VALID NUMBER RANGE 1 - 7 OR 9 RANGE 1 - 7 OR 9 RANGE 1 - 4 OR 9 RANGE 1 - 7 OR 9 RANGE 1, 2 OR 9 999 OR VALID NUMBER RANGE 1 - 4 OR 9 RANGE 1, 2 OR 9 RANGE 0 - 9 RANGE 0 - 9 RANGE 1 - 6 OR 9 RANGE 1 - 6 OR 9 RANGE 1 - 5 OR 9 RANGE 1 - 4 OR 9 VALID TRACT NUMBER O OR VALID NUMBER VALID TRACT NUMBER O OR VALID NUMBER RANGE 1 - 6026 RANGE 1 - 6026 999 OR FARE FOR CLASS
ROUTE OF ISSUE TRIP START TIME	55-57	999 OR VALID NUMBER
AM OR PM HOUR MINUTES AFTER HOUR	53 59-60 61-62	1 OR 2 00-12 00-59

^{*}Note: 9's where indicated were used for unknown fields. Otherwise the codes as shown are those as contained in the survey questionnaire.

No questionnaire with an invalid or incomplete stop or geographic code was retained in the files.

3.8.1.2 Trip Logs

Trip logs were also extensively edited during this phase. The checks made on the trip logs are shown in Exhibit 3.8.1.2-1.

3.8.1.3 Interrecord Comparisons

The sample, survey responses, and trip log files were merged before the sample was expanded. During this process, records were checked to verify that information which should be common to all files was, in fact, the same. This process is discussed in greater detail in subsection 3.8.2.1.

3.8.2 Expansion of the Sample

Exhibit 3.8.2-1 shows the tasks which were accomplished in order to get an expanded file of bus and passenger trips which accurately represented all passenger trips made on an average weekday in the VIA system.

3.8.2.1 Merge Files

The following three files (see Appendix B for full description) were merged during this step:

- Trip log file;
- Survey response file; and
- Sample file.

The first step in the process was to compare the sample and trip log files. The stratum characteristics (direction, time of day) were taken from the sample file and appended to the log file for use later in the factoring process. At the same time, the trip log control information (block, route, departure time) was compared with the sample file. When the two files did not match, the log was rejected and returned to the log coders for correction.


EXHIBIT 3.8.1.2-1

TRIP LOG EDIT CRITERIA

SUMMARY OF INPUT RECORD FIELDS AND EDIT CHECKS

All fields are checked for valid numeric value and range or table checked for valid field definition.

FIELD NAME	COLUMNS	DEFINITION CHECK
BLOCK ROUTE SCHEDULED START TIME SURVEY DATE SURVEY DAY MAIN BEGIN SERIAL NUMBER MAIN ENDING SERIAL NUMBER RESUPPLY BEGIN SERIAL RESUPPLY ENDING SERIAL	1-2 3-5 6-10 11-14 15 16-21 22-27 28-33 34-39	RANGE 1 - 38 VALID ROUTE NUMBER NONE RANGE 2/28 THRU 4/01 RANGE 1 - 5 RANGE 10001 - 55000 RANGE MAIN BEGIN - 55000 RANGE RESUPPLY BEGIN - 55000 or 99999
FIRST ZONE RECORD FARE ZONE ZONE BEGIN SERIAL NUMBER ZONE BEGIN TIME BOARDING COUNT - ADULT BOARDING COUNT - CHILD BOARDING COUNT - TRANSFER BOARDING COUNT - BIG PASS BOARDING COUNT - E&H BOARDING COUNT - STUDENT BOARDING COUNT - FREE SECOND ZONE RECORD THIRD ZONE RECORD DECK NEXT SERIAL AT END TRIP ENDING TIME	40-43 44-71 44-45 46-51 52-56 57-59 60-61 62-63 64-65 66-67 68-69 70-71 72-99 100-127 128-133 134-138	VALID FARE ZONE FOR ROUTE IN RANGE OF MAIN OR RESUPPLY DECK GE SCHED START TIME & LT END TIME FLAGGED IF GT 50 SEE FIRST ZONE RECORD SEE FIRST ZONE RECORD RANGE 10001 - 55000 FOR ROUTE 550 & 551 LT START TIME + 220 MIN. FOR OTHER ROUTES RANGE START TIME + 8 TO START TIME + 80



Data Processing Flow Chart

Following the sample-trip log match, a trip segment file was created from the combined file created in the first step. Bus trip data were broken down into one record for each segment (fare zone) in which the bus operated. The segment records contained the block, route, departure time and direction of the bus, and the beginning and ending serial numbers of the cards handed out in the segment.

The trip segment and response files were then sorted on serial number and matched. Log data were appended to each response record which fell into the serial number range of a trip segment forming a combined bus trip response file. Response records which did not match any trip segment record were checked to determine the reason for the no-match and corrected or rejected depending on the type of error.

Because the segment file contained records which each had a unique range of serial numbers, a response could only match one segment.

3.8.2.2 Calculation of Factors

Exhibit 3.8.2.2-1 presents the steps required to expand the survey data to represent all passenger trips made on an average day. The following three factors were calculated for each passenger response:

- Bus trip factor;
- Response factor (by fare zone and fare class); and
- Revenue adjustment factor.

The methods for calculating these factors are described in the following subsections.

3.8.2.2.1 Bus Trip Factor

To enhance accuracy, bus trips were aggregated into homogeneous groups (strata) before factoring. The idea was to group trips which were essentially the same in character, and thereby improving the results. Bus trips were grouped into the following strata:




EXHIBIT 3.8.2.2-1

Time

- 1. 5:00 a.m. to 8:59 a.m. (a.m. peak)
- 2. 9:00 a.m. to 2:59 p.m. (midday off-peak)
- 3. 3:00 p.m. to 5:59 p.m. (p.m. peak)
- 4. 6:00 p.m. to close (evening off-peak)

Direction

- 1. inbound
- 2. outbound
- 3. round trip (VIA sample)

Note: The direction designation on some trips was arbitrary, if the bus did not enter the downtown.

Route

Each route was assigned a separate stratum.

The bus trip factor for each stratum was calculated by dividing the total number of bus trips by the number of surveyed bus trips. For example, if there were 28 total trips and 4 surveyed bus trips in a stratum, the bus trip factor would be 7.

In other words, the weight representing the ratio of the number of bus trips in stratum i to the number of sampled bus trips in stratum i or

$$W_i = \frac{M_i}{N_i}$$

was calculated where:

N; = number of sampled bus trips in stratum i

 M_i = number of bus trips in stratum i.

3.8.2.2.2 Response Factor

It is well known that people respond differently based on their education, income, age and other socio-economic factors. This is known as response bias. To overcome response bias, passenger responses were stratified by fare class and fare zone of boarding.

Passenger responses were factored for an entire stratum rather than on an individual bus trip basis. While it is possible to factor on a trip by trip basis, insufficient response within a single bus, fare zone and fare class can cause skewed results if there are cells with no response. By summarizing the responses across one entire stratum, this problem was minimized.

The response factors were calculated by summarizing the surveyor counts by fare zone and fare class, including transfers for an entire stratum, and dividing each by the sums of the responses for the equivalent categories in that stratum.

In other words the response factor was a weight representing the ratio of the number of observed bus passengers in a given fare class and fare zone on a given bus route to the number of responding passengers in that fare class and fare zone and on a bus, or

Where

 N_{ifzj} = number of observed revenue passengers boarding bus j in fare zone z of fare class f in stratum i.

 n_{ifzj} = number of responding passengers from bus j, fare zone z, fare class f, in stratum i.

3.8.2.2.3 Revenue Adjustment Factor

The last step in the expansion process was to adjust the survey results to counted revenues during the survey period. This was accomplished by first calculating average daily revenues (supplied by VIA) and then calculating estimated revenues from the survey results. The latter was done by multiplying the fare paid, the bus trip factor, and the response factor for each record and accumulating by route. The adjustment factor was the quotient of the known route revenues divided by the estimated revenues.

3.8.2.2.4 Final Combined Factor

A final combined factor was created for processing the results. This factor was calculated by multiplying the response, bus trip and revenue adjustment factors. It is the only factor which should be used for summarizing results.

3.9 Verification of Results

As described earlier, the results of the sample survey were expanded to represent external control data (bus trips, boarding passenger counts and collected revenue). In all cases, these adjustments were made at the route level or below (route, time period, direction or route, time period, direction, fare class strata). Application of systematic adjustments was avoided in order to maintain all possible accuracy at the route level.

The study design for the survey indicated that absolute accuracy of \pm 8 percent at the 95 percent confidence level would be sought at the route level and that systemwide accuracy of \pm 1 percent absolute was likely. In order to test for actual accuracy levels in the final results, two passenger attribute variables were tested at the route and system levels.

3.9.1 <u>Statistical Methodology</u>

Both attributes (age and access distance) were collected by asking passengers to identify the category into which they fell. For age, the categories were:

- 1. Under 16 years
- 2. 16-24
- 3. 25-34
- 4. 35-44
- 5. 45-64
- 6. Over 64

and for access distance they were:

- 1. Less than 2 blocks
- 2. 3-4 blocks
- 3. 5 blocks 1 mile
- 4. Over 1 mile

The appropriate method for statistical analysis of such categorical variables is to estimate the proportion of the total population in each category and compute the confidence of that estimate.

This consists of 4 separate analytical steps:

1. Compute estimated proportion of population.

$$P_{C} = \sum_{i=1}^{P_{C}} P_{i}$$

where

 p_{C} is the estimated proportion of the population with attribute c

 ${\rm P}_{\rm C}$ is the estimated number of persons with attribute c i is the attribute category index

Pi is the estimate number of persons in category i.

Compute the total number of responding passengers.

$$SP = \sum_{i=1}^{n} S_{i}$$

where

SP is the total number of responding passengers
Si is the number of respondents with attribute

3. Compute the Standard Error of Proportion

$$SE_{c} = \sqrt{\frac{p_{c}q_{c}}{SP}}$$

where

 ${\sf SE_C}$ is the Standard Error of Proportion for attribute c ${\sf p_C}$ is the estimated proportion of the population with attribute c

 q_c is 1 - p_c

4. Compute the 95% Confidence Level

$$CL_C = SE_CZ$$

where

Z is the Z score for the confidence level (1.96 for 95%)

This sequence of steps was completed for each test variable at the route and system levels. The results of these analyses are described below.

3.9.2 Route Accuracy

Tables describing the details of the route analysis have been delivered to VIA. Exhibit 3.9.2-1 shows summary accuracy statistics derived from these detailed tables by attribute and route. This exhibit clearly indicates that the target accuracy level was attained and for many routes was substantially improved.

Accuracy below ± 8% was achieved for all routes where valid responses in excess of about 100 were received. Earlier discussion indicated that 150 responses would be required to achieve this accuracy for a simple random sample. The significance of reduction in response required to achieve desired accuracy demonstrates the benefit of the sample stratification process.

3.9.3 System Accuracy

Exhibit 3.9.3-1 describes the precision of the selected variables at the system level. Again the expected accuracy level (\pm 1% absolute) was substantially improved upon. The average accuracy of the proportions is \pm .75% for age and \pm .86% for distance.

EXHIBIT 3.9.2-1 SUMMARY STATISTICS FOR ROUTE PRECISION

`		A	GE	ACCESS D	ISTANCE
ROUTE	TOTAL RESPONSE	VALID RESPONSE	AVERAGE ACCURACY	VALID RESPONSE	AVERAGE ACCURACY
1 2 4	119 160	117 155	.0619 .0540	116 156	.0564 .0592
4	147 135	141 134	.0546 .0585	144 133	.0631 .0624
5 8	105	101	.0660	104	.0686
9	138	136	.0546	134	.0544
10	53	51	.0837	53	.0958
11 12	144 50	140 50	.0565 .0789	143 50	.0672 .1096
14	175	170	.0502	171	.0580
15	173	168	.0521	169	.0602
17 21	115 102	114 101	.0586	115 101	.0737
22	137	126	.0631 .0555	134	.0643 .0618
24	131	127	.0612	130	.0678
25	215	207	.0469	204	.0553
26	130	126	.0568	126	.0684
28 30	152 105	145 99	.0558 .0612	148 103	.0621 .0765
32	102	95	.0666	101	.0701
34	139	134	.0566	133	.0692
36	147	140	.0541	144	.0643
38 42	96 65	94 61	.0640 .0848	93 64	.0854 .0852
44	187	181	.0485	184	.0562
46	115	110	.0540	114	.0709
48	94	94	.0565	93	.0791
51	97	94	.0608	95 127	.0799
52 54	129 113	126 109	.0565 .0648	127 110	.0668 .0630
62	89	88	.0699	88	.0799
64	175	172	.0438	172	.0627
68	141	136	.0554	136	.0673
74 76	159 143	149 141	.0532 .0565	157 142	.0610 .0666
77	154	150	.0558	150	.0576
79	127	119	.0575	124	.0642
82	127	125	.0604	125	.0721
84 86	150 199	140 196	.0575 .0467	149 194	.0618 .0572
87	15	15	.1427	15	.1954
88	84	79	.0734	80	.0900
90	133	127	.0589	131	.0685
92	246 157	235 157	.0429	234 156	.0493 .0562
93 96	129	124	.0387 .0621	126	.0668
97	121	116	.0634	116	.0733
503	10	10	.1462	10	.2642
504	30	27	.1093	30	.1544
505 508	201 90	196 86	.0457 .0686	194 89	.0547 .0841
000	50	00	•0000		10011

EXHIBIT 3.9.2-1

Continued
SUMMARY STATISTICS FOR ROUTE PRECISION

		A(GE	ACCESS D	ISTANCE
ROUTE	TOTAL	VAL ID	AVERAGE	VALID	AVERAGE
	RESPONSE	RESPONSE	ACCURACY	RESPONSE	ACCURACY
509	38	37	.1125	35	.1297
512	100	97	.0647	96	.0836
515	129	127	.0597	125	.0705
516	39	38	.1124	37	.1101
520	120	120	.0591	117	.0709
524	102	99	.0659	100	.0801
530	73	73	.0775	72	.0918
550	157	156	.0483	155	.0667
551	107	106	.0535	104	.0826
600	38	37	.1039	38	.1127
601	23	22	.1167	23	.1582
602	15	15	.1310	14	.1430
604	74	70	.0756	70	.0946
608	43	43	.0895	43	.1166
609	34	34	.0903	33	.1188
610	31	31	.0919	31	.1446
611	58	58	.0827	56	.0929
612	86	83	.0647	85	.0815
613	62	61	.0795	61	.0845
614	124	119	.0569	121	.0687
615	18	17	.0754	18	.1399
616	82	81	.0679	81	.0852
617	60	58	.0716	56	.0998
630	25	25	.1406	22	.1411
632	20	20	.1497	19	.0989
640	33	33	.1123	31	.1420
648	103	101	.0669	97	.0819

EXHIBIT 3.9.3-1

PRECISION OF PASSENGER ATTRIBUTES AT THE SYSTEM LEVEL

ATTRIBUTE	ESTIMATED PROPORTION OF POPULATION	SAMPLE SIZE	STANDARD ERROR OF PROPORTION	95% CONFIDENCE INTERVAL
AGE				
Under 16 16-24 25-34 35-44 45-64 Over 64 TOTAL/AVERAGE	.0730 .3649 .2491 .1191 .1455 .0484	624 2982 1894 939 1203 353 7995	.0029 .0054 .0048 .0036 .0039	+ .0057 + .0105 + .0094 + .0071 + .0076 + .0047 + .0075
ACCESS DISTANCE				
Less than 2 blocks 3-4 blocks 5 blocks - 1 mile Over 1 mile	.5362 .1849 .1164 .1626	4375 1377 872 1426	.0055 .0043 .0036 .0041	+ .0108 + .0084 + .0071 + .0080
TOTAL/AVERAGE		8050		<u>+</u> .0086

3.9.4 Conclusion

The accuracy levels evident in the passenger survey results indicate that a data base consistent with VIA's objectives has been developed and is now available for service analysis, planning and other uses. The levels of accuracy demonstrated for age and access distance, two unrelated passenger attributes, provides a justifiable basis for expecting similar accuracy in other passenger attributes.



APPENDIX A

BOARDING PASSENGERS BY ROUTE,

TIME PERIOD,

AND FARE CLASS



BOARDING PASSENGERS BY ROUTE. TIME PERIOD & FARE CLASS

ALL PERIODS		479.905	125.100	5.926	237.685	8.334	20.991	214.606	15.974	1202.512	253.403	1355.427	190.692	41.700	544.801	11 020	000.0	820.091	81.817	3298,951	437.800	1524.625	143.178	96.389	1918.970	57.525	132.928	887.385	44.850	5243.650	163.732	606.767	152.012	21.632	374.374	12,234	4.370	380.755	22.660	1738.536
EVENING 6:00P-4:59A	11.112	9.260	000.00	000.0	13.890	000.0	000.0	9.029	000.00	43.291	15.256	227.299	000.0	000.0	56.952	000.0	000.00	75.765	000.0	375.272	29.264	279.247	26.784	000.00	145.825	000.00	34.720	32.232	000.0	548.072	000.00	23.310	0.000	000.0	24.037	000.00	4.370	33.680	000.0	85.397
PM PEAK 3:00P~5:59P	29.169	121.306	4.167	000.0	59.425	000.0	9.879	32.874	000.0	256.820	78.307	371.682	82.042	000.0	162.225	000.0	000.0	177.155	19.889	891.300	59.520	508.600	91.264	17.856	616.980	57.525	000.0	337.302	27.052	1716.099	61.180	231,609	21.412	000.00	91.770	12.234	000.00	92.635	000.00	510.840
MIDDAY 9:00A-2:59P		151.402	91.673	000.0	40.279	000.0	000.0	76.395	000.0	368.083	38.817	400.496	108.650	22.714	131,040	11.020	000.0	118.678	61.928	893,343	43.976	239.774	25.130	78.533	424.069	000.0		122.512	17.798	951.792	25.640	192.290	108.968	000.00	83.329	000.00	0.000	130.754	0.0.	540 981
AM PEAK 5:00A-8:59A	45.376	197,937	29.260	5.926	124.091	8.334	11.112	96 . 308	15.974	534.318	121.023	355.950	000.0	18.986	194.584	000.0	000.00	448.493	000.0	1139.036	305.040	497.004	000.00	000.00	732.096	000.0	98.208	395.339	000.00	2027.687	76.912	159,558	21.632	21.632	175.238	000.0	000.00	123.686	22.660	601.318
FARE CLASS	BIG PASS	ADUI, T	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD ,	FREE	TRANSFER	UNKNOWN	ALL CLASSES
ROUTE	-									-	2									2	4									4	ស									Ω

ALL PERIODS ======= 88.087 586.750 27.378 17.748 159.422 0.000 334.246 0.000 1213.631	162.314 706.193 140.233 24.570 239.810 0.000 0.000 374.973 41.580 1689.673	9.552 90.496 2.812 2.812 2.812 5.624 0.000 86.208 2.812 2.812	171.590 689.777 88.477 28.475 188.348 0.000 0.000 300.219 11.205 1478.091
E VENING 6:00P-4:59A ========== 0.000 65.799 0.000 11.556 0.000 0.000 10.271 0.000 87.626	47.615 115.072 0.000 13.888 27.776 0.000 45.632 0.000 249.983	0.000 16.476 0.000 0.000 0.000 0.000 5.492 0.000	5.093 43.522 0.000 0.000 6.945 0.000 0.000 63.894
3:00P-5:59P ========== 50.773 168.428 6.192 6.192 62.418 0.000 0.000 354.681	24.304 282.720 4.340 0.000 82.464 0.000 54.064 0.000 447.892	6.484 45.388 0.000 0.000 0.000 12.968 0.000	90.287 266.684 28.475 14.585 88.434 0.000 0.000 86.120 0.000
MIDDAY 9:00A-2:59P ====================================	80.476 242.271 96.217 10.682 129.570 0.000 120.527 41.580	0.000 22.496 2.812 2.812 5.624 0.000 30.932 2.812 67.488	29.169 166.680 41.667 13.890 0.000 59.265 0.000 353.267
AM PEAK 5:004-8:59A ====================================	9.919 66.130 39.676 0.000 0.000 154.750 0.000	3.068 6.136 0.000 0.000 0.000 0.000 36.816 0.000	47.041 212.891 18.335 0.000 50.373 0.000 146.500 11.205 486.345
FARE CLASS ===================================	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN
8 8	o o	ō ō	I I

ALL PERIODS	41.520	7.344	0.000	0.000	2.280	12.912	3.792	107.712	171 318	111000	53.11.	000	125.501	000.0	2.490	334.169	38.271	1436.754	357.734	948.089	109.491	9.905	607.530	7.003	000.0	892.536	236.337	3168.622	46.566	312.809	9.210	4.605	67.879	0.000	7.104	195.801	40.825	684.799
EVENING 6:00P-4:59A ========	3.168	3,168	0.000	000.0	000	000.00	0.000	6.336	096 6	20000	7 988	000	000.00	000.0	000.0	26.883	000.0	112.047	14.324	000.0	0.00.0	000.0	4.775	000.0	000.0	203.718	71.618	294.435	15.394	31.180	000.0	000.0	000.00	000.0	0.000	9.998	000.0	56.572
3:00P-5:59P	17.064	1.896	0.000	000.0	000.0	3.792	3.792	39.846	08.7.89	000.000	23.676	000	58.266	000.0	2.490	64.750	20.343	462.161	23.344	261.709	24.613	000.0	191,959	7.003	000.0	49.394	135.127	693 . 149	19.332	112.468	9.210	4.605	19.335	0.000	000.0	74.102	22.892	261.944
MIDDAY 9:00A-2:59P	0.000	0.000	000.000	000.0	000	000.0	000.00	000.00	000	000.000	000 0	000.0	31.374	0.00.0	000.00	26.892	17.928	282.363	199.460	380.256	29.706	9.902	173.303	000.0	000.0	352.240	29.592	1174.459	000.00	89.982	000.00	000.0	30.784	000.0	7.104	46.176	000.0	174.046
AM PEAK 5:00A-8:59A =========	18.240	2.280	000.0	0.000	2 280	9.120	000.00	61.560	97 678	020.20	209.130	0000	35.861	000.0	000.00	215.644	000.0	580.183	120.606	306.124	55.172	000.0	237.493	000.00	0.000	287.184	000.0	1006.579	11.840	79.179	000.00	000.0	17.760	0.000	000.00	65.525	17,933	192.237
FARE CLASS	BIG PASS ADULT	ELDERLY	HANDICAPPED	CHILD	FDFF	TRANSFER	UNKNOWN	ALL CLASSES	0000		AUUL I	HANDICABBED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HAND I CAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER		ALL CLASSES
ROUTE	12							12	7	-								14	15									15	17									17

1983 VIA BUS PASSENGER SURVEY

BOARDING PASSENGERS BY ROUTE, TIME PERIOD & FARE CLASS

ALL PERIODS	5.788	1.447	112.143	4.124	25.512	000.00	212.891	106.267	598 . 108	10.609	996.9	486.823	19.415	000.00	453.788	0.000	. 1681.376	28.410	643.498	141.345	46.346	520.408	76.504	000.0	524.692	66.003	2047.206	178 343	1013.991	51.981	142.350	787.164	27.850	000.00	743.511	61.561	3006.801	
EVENING 6:00P-4:59A	0.000	0.000	000.0	000.0	11.042	000.0	38.647	000.0	25.464	000.00	000.0	46.684	000.0	000.0	42.440	000.0	114.588	3.200	110.358	000.0	0.000	43.215	000.0	0.000	89.692	000.0	246.465	000	28.877	0.000	10.829	59.573	0.000	000.0	120.574	0.000	219.853	•
3:00P-5:59P	0.000	000.0	41.240	4.124	000.0	000.00	49.488	53.925	224.304	10.609	000.0	77.451	5.836	000.0	190.296	000.0	562.421	000.0	158.097	8.730	000.0	88.384	33.611	000.0	130.308	18.246	437.376	60 493	321.120	0.000	000.00	163.478	27.850	000.00	183.548	13.995	770.484	
MIDDAY 9:00A-2:59P	6.102	0.000	0.000	000.0	000.0	000.0	6.102	14.146	221.020	000.0	000.0	172.582	000.0	000.0	104.342	0.000	512.090	000.0	195.630	29.067	34.052	99.962	000.0	000.0	162.690	28.004	579.405	95 160	357.216	000.0	131,521	304.182	000.0	000.0	247.698		1165.243	
AM PEAK 5:00A-8:59A	5.788	1.447	70.903	000.0	14.470	000.00	118.654	38.196	127.320	000.00	996.9	190 . 106	13.579	000.0	116.710	000.0	492.277	25.210	179.413	73.548	12.294	288.847	42.893	000.00	142.002	19.753	783.960	22 740	306.778	51,981	000.00	259.931	000.00	0.000	191.691	18 100	851.221	
FARE CLASS	BIG PASS ADULT	HANDICAPPED	STUDENT	CHILU	TRANSFER	UNKNDWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	IRANSFER	NWO	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	OWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER		ALL CLASSES	
	21						21	22									22	24									24	25									25	

1983 VIA BUS PASSENGER SURVEY

BOARDING PASSENGERS BY ROUTE, TIME PERIOD & FARE CLASS

LL PERIOD	H H H D D D H H D D H	260.820	1021.508	34.656	94.579	1315.051	26.210	5.957	716.970	230.428	3706.179	470 716	0.4.0	823.855	138.528	4.120	252.447	6.374	000.00	484.066	55.937	1938,742	82.738	578.889	54.041	18,354	571.433	000 0	17 480	294 244	- 100	700.10	001.6001	244.081	582.903	150.517	000.00	695.681	19 832	200.04	19,832	345.270	183.913	2242.029
· EVENING 6:00P-4:59A	17 11 11 11 11 11 11 11	000.0	000.0	000.00	000.0	43.320	000.00	000.0	116.964	000.00	160.284	7 636	000	155.554	20.088	000.0	32.448	000.0	000.00	98.129	26.782	337.637	000.00	100.509	000.0	000.00	10.925	000	000	18 070	0.00	000.000	138.304	10.679	18,306	000 0	000.0	39, 156	000	000.0	000.00	000.0	96 . 107	164.248
PM PEAK 3:00P-5:59P		162.992	301.074	000.0	000.0	307.042	000.00	5.957	178.696	158.118	1113.879	707 33	161.00	198.380	17.879	000.00	114.146	6.374	000.00	218.799	9.627	632.002	24.472	64.240	33.650	18,354	104.005	000 0	000	F 00 5	00.40	000.000	230.122	54.918	141.872	45.766	000.0	141,889		000.0	000.0	114.420	0.000	498.865
MIDDAY 9:00A-2:59P		45.486	441.848	34.656	54.150	344.374	000.0	000.0	178.696	21.658	1120.868	700 67	100.67	256.275	86.526	000.00	51.376	000.00	000.0	131.594	19.528	618.306	5.826	181.052	20.391	000.0	160.217	000	17 480	50 C C L	300.00	000.77	461.714	50.342	247.113	54.918	0.000	158,656	19 832	200.01	19.832	142.369	000.0	693.062
A O		52.342	278.586	000.0	40.429	620.315	26.210	000.0	242.614	50.652	1311.148	78 075	20.97	213.646	14.035	4.120	54.477	000.0	000.0	35.544	000.0	350,797	52.440	233.088	000.0	0.000	296.286	000 0	000	140 278	30.4.00	23.130	977.167	128.142	175.612	49.833	0.000	355,980	000	000.	00.000	88.481	87.806	885.854
		BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	DACC	5547 510	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FRFF	TDANSEED	SINIC NO SER	L L L L L L L L L L L L L L L L L L L	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FDFF	TKEE	TRANSFER	~	ALL CLASSES
ROUTE	B	26									26	80	70									28	30									C	Os S	32										32

1983 VIA BUS PASSENGER SURVEY

BDARDING PASSENGERS BY RDUTE, TIME PERIDD & FARE CLASS

4			
ALL PERIODS ====================================	157.611 849.719 56.557 98.510 479.218 0.000 0.000 419.178 68.235 2129.028	45.691 11.570 0.000 9.308 0.000 2.688 41.496 5.063 134.485	0.000 455.271 30.730 22.194 286.922 0.000 173.386 10.270
EVENING 6:00P-4:59A ====================================	15.288 111.357 0.000 45.855 0.000 82.555 10.917 265.972	13.356 0.000 0.000 0.000 0.000 0.000 13.356	0.000 27.209 8.536 0.000 0.000 0.000 13.870 0.000 49.615
PM PEAK 3:00P-5:59P ====================================	37.703 285.066 28.532 0.000 291.393 0.000 177.313 33.882 853.889	18.816 5.376 0.000 5.376 0.000 2.688 16.128 0.000 59.136	0.000 124.173 0.000 0.000 67.222 0.000 63.488 10.270
MIDDAY 9:00A-2:59P ============ 53.931 235.163 87.056 0.000 173.341 0.000 0.000 171.795 0.000 171.795	70.993 287.723 28.025 65.392 52.318 0.000 108.358 0.000 612.809	3.340 1.670 0.000 1.670 0.000 0.000 5.010 1.670	0.000 218.524 9.390 9.390 148.211 0.000 49.080 0.000 434.595
AM PEAK 5:00A-8:59A ========== 30.334 169.116 13.000 0.000 93.966 0.000 0.000 169.315 24.194 499.925	33.627 165.573 0.000 33.118 89.652 0.000 50.952 23.436 396.358	10.179 4.524 0.000 2.262 0.000 0.000 20.358 3.393 48.633	0.000 85.365 12.804 12.804 71.489 0.000 0.000 46.948 0.000
FARE CLASS ===================================	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	ADULT ELDERLY ' HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNDWN
# # # # # # # # # # # # # # # # # # #	38 39 39	. 8	24 42

ALL PERIODS ====================================	1763.974 80.213 17.986 720.690 23.172 22.281 1914.984	91.552 787.581 120.271 72.987 211.885 0.000 0.000	50.778 114.845 0.000 7.256 2.902 0.000 71.095	158.775 1066.035 108.255 0.000 417.558 0.000 508.279 79.387
EVENING 6:00P-4:59A ====================================	96.543 0.000 0.000 0.000 0.000 0.000 50.570	0.000 247.218 0.000 11.772 11.772 0.000 0.000	307.256 307.256 0.000 0.000 0.000 0.000 0.000 0.000	0.000 15.465 239.702 10.310 0.000 67.016 0.000 201.046 0.000 533.539
PM PEAK 3:00P-5:59P ====================================	570.205 20.797 41.594 153.585 23.172 0.000 345.646 43.047	0.000 58.860 15.696 0.000 0.000 0.000	23.210 23.210 37.935 0.000 7.556 10.158 0.000 0.000 20.654 4.146	75.779 194.845 0.000 0.000 0.000 0.000 0.000 363.408
MIDDAY 9:00A-2:59P ====================================	389.495 59.446 0.000 298.141 0.000 288.515 91.670	23.544 294.309 89.271 38.273 35.316 0.000 86.332	567.031 5.804 52.238 0.000 2.902 0.000 0.000 0.000 38.833 0.000	20.620 217.541 97.945 0.000 61.860 0.000 77.325 45.364
AM PEAK 5:00A-8:59A ====================================	707.731 0.000 76.392 268.964 0.000 22.281 630.253 56.237	68.008 187.194 15.304 22.356 105.937 0.000	21.764 24.672 0.000 0.000 14.510 2.000 11.608 0.000	46.911 413.947 0.000 0.000 288.682 0.000 137.124 34.023
FARE CLASS	ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE	CLASSE PASS T RLY ICAPPE ENT D SFER	ALL CLASSES BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE FREE TRANSFER UNKNOWN
ROUTE *===#		. 9	9 4 8	8 t t

1983 VIA BUS PASSENGER SURVEY

BDARDING PASSENGERS BY ROUTE, TIME PERIOD & FARE CLASS

ALL PERIODS ====================================	66.532 255.623 22.697 14.678 115.694 4.349 6.795 97.400 19.586 603.354	250.230 1099.486 60.867 12.680 334.558 0.000 637.828 67.724 2463.373	164 . 162 276 . 534 4 . 736 3 . 592 100 . 840 0 . 000 16 . 398 328 . 970 38 . 412
EVENING 6:00P-4:59A ========= 7.217 9.279 0.000 0.000 0.000 0.000 19.590 19.590 0.000 36.086	0.000 0.000	65.936 137.960 0.000 40.576 0.000 0.000 62.558 19.274 326.304	0.000 17.760 0.000 0.000 0.000 19.808 5.920
PM PEAK 3:00P-5:59P ====================================	34.948 95.400 4.757 10.193 36.693 0.000 0.000 42.287 3.805 228.083	101.440 462.354 25.360 12.680 166.730 0.000 78.202 27.733 874.503	71.040 42.624 0.000 0.000 16.576 0.000 0.000 14.208 183.629
MIDDAY 9:00A-2:59P ====================================	13.590 68.632 17.940 4.3495 35.7485 6.795 6.116 189.111	0.000 182.580 0.000 0.000 14.380 0.000 186.396 0.000 413.356	1.658 79.326 0.000 3.592 32.168 0.000 13.734 142.171 0.000
AM PEAK 5:00A-8:59A ========= 14.434 144.354 51.550 0.000 96.915 0.000 20.000 20.000 327.874	17.994 91.591 0.000 0.000 43.259 0.000 17.123 9.665	82.854 316.592 35.507 0.000 82.872 0.000 310.672 20.712 849.209	91.464 136.824 4.036 0.000 45.584 0.000 2.664 127.810 18.284
FARE CLASS ===================================	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNDWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNDWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNDWN
ROUTE = = 52	ت 4 م	9 2	64

1983 VIA BUS PASSENGER SURVEY

BOARDING PASSENGERS BY ROUTE, TIME PERIOD & FARE CLASS

ALL PERTODS) H H H H H H H H H H H H H H H H H H H	472.419	2568.241	253.704	380.691	2339.608	000.0	5.952	1277.718	201.343	7499.676	475.567	2097.597	305.596	117.614	938.270	0.000	6.033	894.273	281.371	5116.321	101.200	827.364	191.487	44.037	328,240	30.299	5.454	814.535	156.919	2499.535	195,396	584 B28	64 374	51 307	777 300	396.747	21.244	000.0	410.432	63.005	1787.333
EVENING 6-OOP-4-59A	B D D D D D D D D D	0.000	190.464	000.0	000.0	113.088	000.0	5.952	0.000	000.0	309.504	000.00	164.887	000.0	000.0	000.0	000.0	000.0	960.66	78.247	342.230	12.726	136.944	000.0	000.0	44.844	000.0	5.454	76.658	000.00	276.626	24.340	53 894	000	000	000.00	000.00	000.0	000 0	55.635		201.674
PM PEAK	R D D D D D D D D D	107.136	969.184	50.592	000.0	559.488	000.00	000.00	499.968	000.0	2186.368	177.612	386.516	60.648	000.00	229.596	000.00	000.00	203.600	59.686	1117.658	14.544	249.842	10.908	32.724	83.626	14.544	000.0	187.244	30.117	623.549	62.686	136 266	22.536	30.378	20.00 t	139.033	21.244	000.0			544.561
MIDDAY 9:004-2:59P		226.437	1111,005	203.112	189.714	677.472	000.0	000.0	419,163	151.745	2978.648	36,200	861.426	244.948	000.00	262.225	000.00	6.033	447.742	95.328	1953,902	31.510	271.325	147.045	000.00	84.026	15.755	000.0	320.364	54.265	924.290	44.620	270 900	41.858	000 00	105 55	123.334	0.000				675 201
AM PEAK 5.004-8.59A		138.846	297.588	0.000	190.917	989.560	000.0	000.0	358,587	49,598	2025.156	261.755	684.768	000.0	117.614	446.449	000.00	000.0	143.835	48.110	1702.531	42.420	169.253	33,534	11.313	115.744	000.0	0.000	230.269	72.537	675.070	63.750	123 768	000	000	76 500	000.00	0.000	000.0	92.724	9.155	365.897
FARE CLASS		BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADILI T	FIDERIY	HANDICAPPED	CTIDENT	SICUENI	CHILD	FREE	IRANSFER	UNKNOWN	ALL CLASSES
ROUTE	1 H - 11) II) II ; Ii	68									68	7.4									74	16									92	77										77

BOARDING PASSENGERS BY ROUTE, TIME PERIOD & FARE CLASS

ALL PERIODS	01 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1 10 1	117.353	987.003	20.449	20.449	1105.506	000.0	000.0	362.230	68.306	2681.296	97.078	662.756	117.796	4 . 190	336.765	2.619	000.0	325.481	56.567	1603.252	152.755	558.078	59.417	24.915	184.671	000.0	11.778	195.670	38.532	1225.816	198.698	569.183	41.543	3.486	519.729	000.0	23.157	376.470	23.108	1755.374
шΩ	00 1 01 1 01 1 01 1 01 1 01 1 01 1 01 1 01 1	000.00	52.238	000.0	000.0	53.614	000.0	000.0	24.738	13.747	144.337	15.714	24.879	000.0	000.0	43.214	000.0	000.0	36.665	49.758	170.230	46.206	111.893	000.0	16.761	38.053	000.0	6.342	31,191	000.0	250.446	3.984	67.728	7.683	000.0	57.303	000.0	5.976	23.904	0.000	166.578
PM PEAK 3:00P-5:59P	0 B B B B B B B B B B B B B B B B B B B	93.989	236.911	000.0	000.0	279.215	000.0	000.0	117, 196	32.164	759.475	69.142	159.759	8.380	4 . 190	141.938	2.619	000.0	144.042	608.9	536.879	29.898	168.955	22.045	000.0	61.004	000.0	000.0	67.986	38.532	388.420	66.230	187.911	27.884	3.486	161.648	000.0	00.000	118.528	11.953	577.640
MIDDAY 9:00A-2:59P	61 61 61 61 61 61 61 62 62	000.0	417.827	000.0	000.0	519.033	000.0	000.0	165,305	000.0	1102.165	0.000	261.021	64.599	000.0	102.141	000.0	000.0	136.626	000.0	564.387	17.214	86.976	29.218	000.0	32.616	000.0	5.436	66.595	000.0	238.055	46.314	147.709	000.0	000.0	152.870	000.0	10.458	127.968	11, 155	496.474
AM PEAK 5:00A-8:59A	62 60 61 61 61 61 61 61 61 61 61 61 61 61 61	23.364	280.027	20.449	20.449	253.644	000.00	000.0	54.991	22,395	675.319	12.222	217.097	44.817	000.0	49.472	000.00	000.0	8.148	000.0	331.756	59.437	190.254	8.154	8.154	52.998	0.000	0.000	29.898	000.0	348.895	82.170	165.835	5.976	000.0	147.908	000.0	6.723	106.070	000.0	514.682
	11 11 11 11 11 11 11 11	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNDWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNDWN	ALL CLASSES
ROUTE	17 11 61 11	79									19	82									82	84									84	98									86

ALL PERIDDS ===================================	127 040 931.858 223.668 0.000 299.205 0.000 579.312 61.883	361.808 643.885 19.020 0.000 903.886 8.876 13.948 749.396 146.669 2847.488	493.575 1726.907 353.816 198.356 628.181 0.000 1092.762 108.532
E VENING 6:00P-4:59A ====000000000000000000000000000000000	23.544 80.193 0.000 0.000 41.202 0.000 41.196 8.093	10.144 165.677 0.000 16.904 0.000 57.975 0.000	81.322 395.285 15.596 0.000 89.295 0.000 122.538 0.000
PM PEAK 3:00P-5:59P ====================================	30,902 484,125 26,487 0,000 79,461 0,000 148,132 24,035 793,142	184.494 223.138 0.000 195.908 8.876 13.948 133.876 29.161	111.009 380.124 98.152 12.874 115.829 0.000 168.940 44.650
MIDDAY 9:00A-2:59P ====================================	72.594 203.711 149.112 0.000 93.195 0.000 235.440 29.755 783.807	28.530 80.835 0.000 285.300 285.300 285.300 80.835	74.360 601.770 208.876 154.290 313.873 0.000 352.598 30.412
AM PEAK 5:004-8:59A 0:000 0:000 0:000 0:000 0:000 0:000 0:000 0:000 0:000 0:000 0:000	0.000 163.829 48.069 0.000 85.347 0.000 154.544 0.000	138.640 174.235 19.020 0.000 405.774 0.000 272.245 36.673 1046.587	226.884 349.728 31.192 31.192 109.184 0.000 448.686 33.470
FARE CLASS ===================================	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNDWN
87 87	88 88	06 06	92 6

ALL PERIODS ====================================	205.843 539.232 76.760 73.372 150.311 0.000 0.000 366.690 64.181	114.161 468.265 97.692 7.586 122.161 9.247 4.979 223.885 40.483	0.000 27.394 0.000 0.000 9.592 0.000 7.196 0.000
EVENING 6:00P-4:59A ====================================	14.266 20.380 0.000 0.000 0.000 11.209 0.000 45.855	0.000 30.411 0.000 12.271 4.268 0.000 36.278 6.402	
PM PEAK 3:00P-5:59P ====================================	111.421 159.278 0.000 43.483 46.365 0.000 0.000 152.531 29.451	77.172 110.777 10.777 8.536 4.268 77.883 0.000 0.000 66.857 11.203 356.696	0.000 9.592 0.000 0.000 0.000 0.000 0.000 19.484
MIDDAY ===================================	32.606 172.772 59.778 29.889 59.786 0.000 0.000 117.687 34.730	17.074 148.671 82.520 0.000 9.603 0.000 54.778 9.603	0.00 14.204 0.000 0.000 0.000 0.000 0.000 14.204
AM PEAK ====================================	47.550 186.802 16.982 0.000 44.160 0.000 0.000 85.263 0.000	19.915 178.406 6.636 3.318 22.404 4.979 65.972 13.275 319.884	0.000 3.598 0.000 0.000 0.000 0.000 7.196 0.000
FARE CLASS ===================================	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN
= = 0UTE 93 = = = 0	9 6	76	503

509	508 508	505	FOUTE 504
BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	FARE CLASS ======= BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES
23.200 18.560 9.280 0.000 4.640 4.640 0.000 41.760 0.000 102.080	8.638 44.422 0.000 0.000 18.512 0.000 0.000 23.150 0.000 94.722	14.976 93.593 1.404 1.404 53.350 0.000 0.000 26.204 0.000 190.931	AM PEAK 5:00A-8:59A ====================================
0.0000000000000000000000000000000000000	0.000 57.999 10.489 5.553 30.852 0.000 18.797 0.000 123.690	6.552 40.000 2.059 0.000 11.044 0.000 38.376 1.192 99.223	MIDDAY 9:00A-2:59P ========= 0.000 14.028 0.000 0.000 3.507 0.000 0.000 14.028 0.000 3.507 0.000 3.507 0.000 3.507
9.776 14.664 0.000 0.000 24.440 0.000 14.664 0.000 63.544	13.574 20.732 0.000 35.016 0.000 24.680 5.183 99.185	0.000 41.316 0.936 0.000 24.336 0.000 0.000 30.888 1.738 99.214	PM PEAK 3:00P-5:59P ======= 0.000 36.420 0.000 0.000 0.000 0.000 0.000 0.000 72.840
9.000000000000000000000000000000000000	1.234 0.000 0.000 10.644 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 8.424 8.424	EVENING 6:00P-4:59A ====================================
32.976 36.435 9.280 0.000 29.080 4.640 0.000 62.846 0.000 175.257	23.446 123.153 10.489 5.553 95.024 0.000 66.627 5.183 329.475	21.528 183.333 4.399 1.404 88.730 0.000 0.000 103.892 2.930 406.216	ALL PERIODS ====================================

1983 VIA BUS PASSENGER SURVEY
BOARDING PASSENGERS BY RDUTE, TIME PERIDD & FARE CLASS

520	516 520	A	516	л <u>л</u>	;	ច ថា ១ ទ	RDUTE ===== 512
ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNDWN ALL CLASSES	ALL CLASSES	STUDENT CHILD FREE TRANSFER UNKNDWN	BIG PASS ADULT ELDERLY HANDICAPPED	ALL CLASSES	ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER	STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES BIG PASS	FARE CLASS ===================================
197.340 0.000 0.000 113.022 0.000 0.000 99.864 14.950 495.742	81.159 70.566	35.346 0.000 0.000 0.000 0.000	3.825 41.988 0.000 0.000	239.548	97.134 0.000 0.000 78.388 0.000 1.874 49.037	341.895 14.865 0.000 57.980 0.000 428.120	AM PEAK 5:00A-8:59A 0:000 13:380 0:000
276.745 48.438 0.000 200.928 0.000 0.000 195.545 46.778 816.269	91.392	0.000 0.000 0.000 38.556 29.988	11.424 0.000 11.424 0.000	10.496	84.619 13.118 0.000 4.919 0.000 0.000 0.000	83.565 0.000 0.000 31.518 14.274 344.941	MIDDAY 9:00A-2:59P ====================================
140.633 0.000 8.372 148.304 0.000 0.000 239.799 21.429 609.369	126.072 50.832	60.996 0.000 0.000 19.584 0.000	2.448 35.292 7.752 0.000	313.432	106.198 0.000 24.362 78.245 0.000 0.000	74.925 0.000 0.000 29.436 3.345 163.236 27.642	PM PEAK 3:00P-5:59P ======== 0.000 55:530 0.000
34.685 0.000 5.382 5.382 0.000 0.000 16.742 0.000 71.759	9.568	0.000 0.000 0.000 0.000	0.000	0.000	000000000000000000000000000000000000000	0. 8.0000 8.0000 0.0000 8.0000 8.0000	EVENING 6:00P-4:59A ======== 0.000 0.000 0.000
649.403 48.438 13.754 467.636 0.000 0.000 551.950 83.157 1993.139	298.623	96. 342 0.000 0.000 58.140 29.988	17.697 77.280 19.176 0.000	20.491 721.654	287, 951 13, 118 24, 362 161, 552 0,000 1,874 169, 909	500.385 14.865 0.000 126.962 17.619 944.325	ALL PERIODS ====================================

55 55	550	530	5 5 11 C 2 2 11 -	RDUTE
BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNDWN ALL CLASSES	FARE CLASS
0.000 53.742 0.000 7.905 18.970 0.000 0.000 25.298 0.000 105.915	8.555 107.479 6.416 0.000 72.720 0.000 0.000 57.744 18.692 271.606	0.000 103.278 0.700 0.000 93.080 9.008 9.008 9.000 73.260 8.406 287.032	98. 867 8. 730 0. 000 65. 184 0. 000 41. 614 6. 466 238. 903	AM PEAK 5:00A-8:59A
0.000 170.800 10.674 21.348 81.834 0.000 78.276 0.000 362.932	0.000 103.625 23.094 0.000 127.016 0.000 0.000 0.4.1720 4.145 392.600	0.000 28.827 20.018 0.000 32.427 0.000 0.000 40.836 0.000 122.108	2.911 62.088 7.762 0.000 64.029 0.000 0.000 33.955 0.000 170.745	MIDDAY 9:00A-2:59P
19.569 87.990 0.000 0.000 31.132 0.000 0.000 23.127 6.285 168.103	3.849 55.170 0.000 0.000 6.415 0.000 0.000 15.994 0.000 81.428	0.000 97.295 0.000 111.694 0.000 0.000 0.000 0.000 133.315 0.000 342.304	13.095 63.708 0.000 122.220 0.000 43.650 9.056 251.729	PM PEAK 3:00P-5:59P
0.000 0.000 0.000 0.000 31.132 0.000 3.558 0.000 34.690	7.698 30.792 0.000 0.000 0.000 0.000 0.000 11.628 0.000 50.118	0.000 7.206 0.000 0.000 0.000 0.000 0.000 12.012 0.000 19.218		EVENING 6:00P-4:59A
19.569 312.532 10.674 29.253 163.068 0.000 0.000 130.259 6.285 671.640	20.102 297.066 29.510 0.000 206.151 0.000 0.000 0.000 220.086 22.837 795.752	0.000 236.606 20.018 0.000 237.201 9.008 0.000 259.423 8.406 770.662	SI	ALL PERIODS

604	602	602	601	600		ROUTE
BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	BIG PASS	ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN ALL CLASSES	TRANSFER UNKNOWN ALL CLASSES BIG PASS	ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE	FARE CLASS
5.641 9.928 0.000 1.128 11.563 1.974 0.000 51.898 2.482 84.614	0.000 0.000 0.000 0.000 0.000 0.000 11.572	0.000	12.244 0.000 0.000 0.000 0.000 0.000 28.567 0.000 48.973	21.638 0.000 21.638 8.462	0.000	AM PEAK 5:00A-8:59A
19.740 34.544 0.000 0.000 2.796 0.000 24.683 0.000 81.763	4.909 0.000 0.000 0.000 0.000 0.000	0.000	1061.209 201.972 0.000 0.000 0.000 0.000 128.218 144.245 1615.780	12.564 0.000 257.316 80.136	189.378 29.316 0.000 16.984 0.000 2.094	MIDDAY 9:00A-2:59P
35.533 20.727 0.000 0.000 13.980 0.000 14.804 0.000 85.044	0.000 0.000 0.000 0.000 0.000 2.893 11.572	5.786 2.803	448.910 0.000 0.000 0.000 0.000 19.292 35.616 0.000 503.818	15.007 0.000 130.177 0.000	91.089 3.490 0.000 10.121 0.000 0.000	PM PEAK 3:00P-5:59P
0.000 0.987 0.000 0.000 0.000 0.000 0.000 0.000 0.000	000000000000000000000000000000000000000	0.000	0.000 0.000 0.000 9.646 0.000 0.000 38.584 0.000	0.000 0.000 0.000 38.584	o.o.o.o.o.o.o.o.o.o.o.o.o.o.o.o.o.o.o.	EVENING 6:00P-4:59A ====================================
60.914 66.186 0.000 1.128 28.339 1.974 0.000 91.385 2.482 252.408	0.000 0.000 0.000 0.000 0.000 0.000 2.893 4.909 72.234	5.786 58 646	1522.363 201.972 0.000 9.646 0.000 19.292 230.985 144.245 2255.385	49.209 0.000 409.131 126.882	280.467 32.806 0.000 27.105 0.000 2.094	ALL PERIODS

1983 VIA BUS PASSENGER SURVEY

BOARDING PASSENGERS BY ROUTE, TIME PERIOD & FARE CLASS

ALL PERIODS		8.306	000.0	17.078	000.0	000.0	55.77	21.231	4.245	26.268	0.000	000.0	21.696	000.0	000.0	19.962	000.0	70.171	3.640	24.102	0.000	0.000	19.966	0.000	0.000	20.848	000.0	955.89	20.998	46.792	000.0	000.0	57.291	000.0	000.0	89.919	5.732	, , , , , , , , , , , , , , , , , , ,
EVENING 6:00P-4:59A ====================================	0.000	000.0	000.0	0.000	000.00	000.00	10.494	17 490	000.00	000.00	0.00.0	000.0	000.0	000.0	000.00	2.426	000.0	2.426	000.00	000.0	000.0	000.0	000.0	000.0	000.00	2.426	000.0	2.426	0.000	000.0	000.0	0.000	0.000	000.0	000.0	10.266	00.000	10.200
PM PEAK 3:00P-5:59P	0.000	000.00	000.0	12,706	000.000	0.000	12.706	12.706	0.000	4.680	000.0	000.0	7.020	000.00	000.0	4.680		16.380	000.00	5.295	000.0	000.0	1.765	000.0	000.0	12.355		19.415	000.0	0.00.0	0.000	000.0	00.00	000.0	0.00.0	29.088	00.00	20.000
MIDDAY 9:00A-2:59P	0.000	8.306	0.000	0.000	000.00	0.000	4.133	70.765	2.062	4.124	000.00	000.00	10.310	000.00	000.0	4.124	000.0	20.620	0.000	4.247	000.0	000.0	12.741	000.00	0.000	4.247		21.235	9.534	୍ଟିଆର ଜିଲ୍ଲ	0	000.0	14.301	000.0	0.000		000 0	
AM PEAK 5:00A-8:59A	2.186	0.000	000.0	4.372	000.00	000.00	28.418	4.3/2	2.183	17.464	000.00	000.0	4.366	000.0	000.0	8.732	000.0	32.745	3.640	14.560	000.0	000.0	5.460	000.0	000.0	1.820	0.000	25.480	11.464	37,258	0.000	000.0	42.990	000.00	000.0	17.196	114 640	5
FARE CLASS		ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	ONKNOWN ALL CLASSES	BIG PASS	ADULT	ELOERLY	HANOICAPPED	STUDENT	CHILD	FREE	TRANSFER		ALL CLASSES	BIG PASS	ADULT .	ELOERLY	HAND I CAPPED	STUDENT	CHILD	FREE	TRANSFER	NMO	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	I KANSFEK	ONKNOWN ALL CLASSES	
ROUTE	809							808	609									609	6 10								(010	611								++ 5	-

ALL PERIODS		9.901	51.221	000.0	1.828	74.331	3.046	000.00	40.821	6.275	187.423	11.876	37.664	000.0	2.919	80.931	000.0	000.0	107.860	000.0	241.250	17.823	146.561	000.0	5.484	86.055	2 742	3000	000.000	40.097	10.031	352.793	2.877	32.220	000.00	000.0	000 0	000	000	000.000	28.770	000.0	63.867
EVENING 6:00P-4:59A		0.000	1.675	0.000	000.0	000.0	000.0	000.0	10.050	000.00	11.725	000.0	000.0	000.00	000.00	0.000	000.0	000.0	000.0	000.0	000.0	000.00	000.0	000.00	000.0	2.742	000	000.0	000.0	000.0	0.000	2.742	00.000	0.000	000.00	000.0	000	000		0.000	000.0	000.0	0.000
9.00P-5:59P		8.683	12.565	000.0	000.0	7.312	000.0	0.000	19, 197	000.0	47.757	6.038	000.00	000.0	000.00	24.152	0.000	000.0	72.456	000.00	102.646	17.823	34.964	00.000	000	17 823	2 7 7 4 2	2.72	000.000	63.078	3.428	139.858	00.00	20.712	00.000	0.00	000	000.0	000.0	000.0	0.000	000.0	20.712
MIDDAY 9:00A-2:59P	11 11 12 12 11 11 11	000.0	17.180	000.0	000.00	4.570	000.00	000.0	4.570	3.838	30.158	000.0	14.312	000.0	000.00	7.156	000.00	000.00	17.890	000.00	39.358	000.00	40.580	00.000	000	000	000	000.0	000.0	11.880	4.204	56.664	00.00	000.0	00.000	000	000	000.0	000.0	000.0	0.000	000.0	0.000
AM PEAK 5:00A-8:59A	11 13 14 15 11 11 11	1.218	19.801	000.0	1.828	62.449	3.046	000.00	7.004	2.437	97.783	5.838	23.352	000.00	2.919	49.623	000.00	000.00	17.514	000.00	99.246	0.000	71.017	000.0	5 484	65 490	000	000.0	0.000	9.139	2.399	153.529	2.877	11.508	000.0	000		000.0		00.000	28.770	000.00	43.155
S	11 12 11 11 11 11 11	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HAND I CAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STILLENT	CHILD		TKEE	IKANSFEK	OWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STIIDENT	CHILD	Chiro	FREE	TRANSFER	UNKNOWN	ALL CLASSES
ROUTE	81 81 81 81	612									612	613									613	614										614	615										615


ALL PERIODS	1	126.72	473	41 195	77 785	683.34	000.0	00.00	91.032	000.0	320.879	8.197	71.911	000.0	0.000	27.474	0.000	000.00	39.917	2, 159	149.658	2.482	7.446	000 0	000.00	7.446	000.0	000:0	20.233	2.482	40.089	(4	100	12.495	4.165	000.0	000.0	000.00	000.00	14.809	000.00	41.650
EVENING 6:00P-4:59A	1	6 714		000.0	6 7 4 4	+ · · · · ·	000.0	000.0	26.836	000.0	40.284	0.000	000.0	0.000	000.0	000.0	000.0	0.000	000.0	000.00	000.0	000.00	000.0	000.0	000.0	0000	000.0	000.0	000.0	000.0	000.0	C C	000.0	000.0	000.00	000.0	000.0	000.0	000.00	000.0	000.00	000.00
3:00P-5:59P	1	7 180	000	000.0	000.0	000.0	000.0	00.000	20.720	000.00	25.900	3.357	13.428	000.0	000.0	000.0	000.0	000.00	23.499	000.0	40.284	000.00	000.0	000.0	000.00	000.00	000.0	000.0	18.992	000.0	18.992	t 12 12	0.00	5.553	1.851	000.0	000.0	000.0	000.00	5,553	000.00	18.510
MIDDAY 9:00A-2:59P		35 110	000	7 022	40 523	000	000.0	00.000	35.110	000.0	87.775	4.840	21.780	0.00	000.0	14.520	000.00	000.00	12.100	0.000	53.240	0.000	000.00	000.00	000.0	000.00	000.00	000.00	000.00	000.00	0.000	o o	000.0	000.0	000.0	000.0	000.0	000.0	000.00	000.0	000.00	000.0
AM PEAK 5:00A-8:59A	733 70	87.633	67. K	4.173	25.038	0000	000.0	0.000	8.346	000.0	166.920	000.0	36.703	000.0	000.0	12.954	000.0	000.00	4.318	2.159	56, 134	2.482	7.446	000.00	000.0	7.446	0.000	000.0	1.241	2.482	21.097		979.4	6.942	2.314	000.0	000.0	000.0	000.0	9.256	000.00	23.140
FARE CLASS	l .	ADIII T	EL DEDI V	LANDICADDED	CTINENT	STUDENT	מונים	TKEE	IKANSFEK	CNKNOWN	ALL CLASSES	BIG PASS	ADUI T	FI DERI Y	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	BIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES	0	DIG PASS	ADULT	ELDERLY	HANDICAPPED	STUDENT	CHILD	FREE	TRANSFER	UNKNOWN	ALL CLASSES
ROUTE	[919									616	617									617	630									630	C C	250									632

ROARDING PASSENGERS BY ROUTE, TIME PERIOD & FARE CLASS

ALL PERIODS ====================================	136.139	200.22 208.379 2.012 41.540 41.540 1.811 0.000 230.480 12.299	853.991 8541.768 40204.534 4676.809 1986.204 24202.050 429.330 356.155 23945.496 3567.171
EVENING 6:00P-4:59A ============ 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	7.564	15.242 15.691 0.000 0.000 1.811 0.000 17.005	573.024 3887.276 95.153 70.188 1446.390 6.079 62.814 2326.249 432.735
PM PEAK 3:00P-5;59P ====================================	28,369	84.480 7.242 0.000 13.277 0.000 38.628	2924.163 11701.980 920.505 314.581 6531.509 232.889 54.254 6484.390 1006.843
MIDDAY 9:00A-2:59P ====================================	0.000	52.299 0.000 0.000 0.000 0.000 25.356	1866.317 13792.405 2865.475 925.439 6988.108 53.843 88.966 7382.892 1268.066
AM PEAK 5:00A-8:59A 11.134 22.268 5.567 5.567 33.402 0.000 16.701	100.206	55.909 0.000 2.012 15.590 0.000 149.491 12.299	3178.264 10822.873 795.676 675.996 9236.043 136.519 150.121 7751.965 859.527
FARE CLASS ===================================	ALL CLASSES	ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN	ALL CLASSES BIG PASS ADULT ELDERLY HANDICAPPED STUDENT CHILD FREE TRANSFER UNKNOWN
R0UTE = = = = = 640	640	0	8448 ALL

APPENDIX B

MACHINE READABLE FILE FORMATS



MASTER SAMPLE FILE

COLUMNS	FIELD NAME
1-3	CLUSTER NAME
4-6	ROUTE
7-8	BLOCK
9	DIRECTION
10-34	START LOCATION
35	START TIME PERIOD
36-39	START TIME
40	END TIME PERIOD
41-44	END TIME
45-46	TRIP SEQUENCE NUMBER
47	TRIP TIME PERIOD CODE

SURVEY RESPONSE FILE

COLUMNS	FIELD NAME
1-5	SERIAL NUMBER
6	ORIGIN TRANSFER
7-9	FROM ROUTE
10	FARE CLASS
11	PURPOSE AT ORIGIN
12	DISTANCE TO ORIGIN STOP
13	PURPOSE AT DESTINATION
14	DESTINATION TRANSFER
15-17	TO ROUTE
18	MODE AT DESTINATION
19	AUTOS AVAILABLE
20	TOTAL AUTOS AT HOME
21	TOTAL PERSONS IN HOUSEHOLD
22	PASSENGER'S AGE
23	PASSENGER'S SEX
24	EDUCATION
25	RACE
26-31	ORIGIN TRACT
32-34	ORIGIN BLOCK
35-40	DESTINATION TRACT
41-43	DESTINATION BLOCK
44-47	"STOP ON" CODE
48-51	"STOP OFF" CODE
52-54	FARE (IN CENTS)
55-57	ROUTE OF ISSUE
58-62	TRIP START TIME

TRIP LOG FILE

COLUMNS	FIELD NAME
1-2	BLOCK
3-5	ROUTE
6-10	SCHEDULED START TIME
11-14	SURVEY DATE
15	SURVEY DAY
16-21	MAIN BEGIN SERIAL NUMBER
22-27	MAIN ENDING SERIAL NUMBER
28-33	RESUPPLY BEGIN SERIAL
34-39	RESUPPLY ENDING SERIAL
40-43	BUS NUMBER
44-71	FIRST ZONE RECORD
44-45	FARE ZONE
46-51	ZONE BEGIN SERIAL NUMBER
52-56	ZONE BEGIN TIME
57-59	BOARDING COUNT - ADULT
60-61	BOARDING COUNT - CHILD
62-63	BOARDING COUNT - TRANSFER
64-65	BOARDING COUNT - BIG PASS
66-67	BOARDING COUNT - E&H
68-69	BOARDING COUNT - STUDENT
70-71	BOARDING COUNT - FREE
72-99	SECOND ZONE RECORD
100-127	THIRD ZONE RECORD
128-133	DECK NEXT SERIAL AT END
134-138	TRIP ENDING TIME

FINAL COMBINED & FACTORED FILE

COLUMNS	FIELD NAME
1-2	STRATA KEYS (USED FOR FACTORING)
3-4	BLOCK
5-7	ROUTE
8-12	START TIME
13	SEGMENT TIME PERIOD CODE SURVEY DATE
14-16 17	SURVEY DAY
18-21	BUS NUMBER
22-23	ROUTE SEGMENT NUMBER
24-29	BEGIN SERIAL NUMBER 1
30-35	END SERIAL NUMBER 1
36-41	BEGIN SERIAL NUMBER 2
42-47 48-50	END SERIAL NUMBER 2 ADULT BOARDINGS
51-52	CHILD BOARDINGS
53-54	TRANSFER BOARDINGS
55-56	BIG PASS BOARDINGS
57-58	ELDERLY - HANDICAP BOARDINGS
59-60	STUDENT BOARDINGS
61-62 63-65	FREE BOARDINGS TOTAL QUESTIONNAIRES PASSED OUT
66-68	TOTAL BOARDING PASSENGERS
69	DIRECTION
70	TRIP TIME PERIOD CODE
71-75	RESPONSE SERIAL NUMBER
76 77 70	FROM TRANSFER STATUS
77 - 79 80	TRANSFER FROM ROUTE FARE CLASS
81	ORIGIN PURPOSE
82	DISTANCE TO STOP
83	DESTINATION PURPOSE
84	EXIT TRANSFER STATUS
85 - 87 88	TRANSFER TO ROUTE MODE EGRESS
89	AUTO AVAILABILITY
90	VEHICLES OWNED
91	PERSONS IN HOUSEHOLD
92	AGE
93	SEX
94 95	LEVEL OF EDUCATION RACE
96-101	ORIGIN CENSUS TRACT
102-104	ORIGIN CENSUS BLOCK
105-110	DESTINATION CENSUS TRACT
	DESTINATION CENSUS BLOCK
114-117 118-121	STOP ON STOP OFF
122-124	FARE PAID
125-132	BATCH CONTROL DATA (DATA ENTRY)
133-140	BUS TRIP FACTOR
141-148	RESPONSE FACTOR
149-156	REVENUE ADJUSTMENT FACTOR
157-164	AGGREGATE FACTOR






NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for its contents or use thereof.

The United States Government does not endorse manufacturers or products. Trade names appear in the document only because they are essential to the content of the report.





TECHNOLOGY SHARING SPECIAL STUDIES IN TRANSPORTATION PLANNING (SSTP)

PROGRAMS OF THE U.S. DEPARTMENT OF TRANSPORTATION